

Industrial Cutting Tool Organization CNC Storage & Transport



Since 1926, a commitment to you, our customer.

Nearly a century ago, Gene Huot (pronounced "Hewitt") invented and marketed the famous Drill Index, a significant industry breakthrough and one which has successfully withstood the test of time.

Since the introduction of this remarkable product, Huot has grown to become one of the most respected names in its field, with a world-wide reputation for quality, innovation and service. This reputation has been achieved through three generations of Huot family members and their dedicated work partners.

The products in this catalog are designed to efficiently and effectively meet your specific requirements. Each is quality-made to meet the highest standards of excellence. Only in this way can we earn your complete satisfaction and maintain your continued trust in our products and services.

All Huot products are proudly made in the U.S.A.

We're small enough to care and big enough to get it done.

5S Initiatives

We've all heard the term "5S", but what is it and how does it work? In an effort to increase competitiveness, 5S was developed by the Japanese to cut costs, increase efficiency and quality, and ultimately become more profitable. Expanding on lean initiatives, this benchmark for quality programs is used by companies around the world. These simple ideas were developed for manufacturing purposes, but can improve the efficiency of anywhere you apply them, even the office, the shop or the kitchen. Here are the 5 words and their meanings:

SORT – Determine what is needed for an area and remove what isn't.

SET (in order) – Designate a place for everything in the area, and keep it there when not in use.

SHINE – Always keep the area clean and organized.

STANDARDIZE – Make the area and processes efficient and visually obvious, and do the same for similar areas.

SUSTAIN – Ensure the initiatives are constantly followed in all areas.

Some say that the 6th and 7th initiatives are Safety and Security, but the developers wanted to keep it simple at 5. Huot Manufacturing makes the products that will help you meet your 5S goals in your shop, including the 6th and 7th initiatives.

If you are thinking 5S, think Huot.

Cuttings tools, wrenches and toolholders shown throughout this catalog are for pictorial use only and are not included with any Huot products.

SCOOTS

| ToolScoot Tree | | | | _ |
|-------------------------------------|-----------|---|-------|-------|
| SuperScoot | | | | |
| ToolScoot | | | | 3 |
| TriScoot | | | | 4 |
| SpeedyScoot | | | | 6 |
| CAPTO & VDI Products | . 3, 4, 5 | i, 11, | 12, | 15 |
| Quick Comparison | | | 8 | 3-9 |
| TOOLSCOOT ACCESSORIES | | | | |
| Drawer | | | | 3 |
| Doors | | | | |
| Safety Covers | | | | |
| Toolholder Vises | | | | |
| | | | | |
| TOWERS | | | | 4.4 |
| SuperTower | | | | |
| ToolTower | | | | |
| Stacking Kits | | | ••••• | . 1 1 |
| WALL MOUNTABLE | | | | |
| Wall or machine mount racks | | 10, | 12, | 16 |
| BENCH TOP PLATFORMS | | | | |
| Racks | | | 15, | 16 |
| PORTABLE | | | | |
| Tool Totes | | | | .16 |
| DRILL DISPENSERS | | | | |
| Fractional | | 18 | 19 | 23 |
| Wire | | | | |
| Letter | | | , | |
| Silver Deming | | | | |
| Taper Shank/Length | | | | |
| Metric | | | | |
| TAP DISPENSERS | | | | |
| | | | | |
| TAP & DRILL DISPENSERS | | | | |
| END MILL DISPENSERS | | | | |
| REAMER DISPENSERS | | | | .21 |
| NSERT DISPENSERS | | | | .22 |
| BURR DISPENSER | | | | .21 |
| COUNTERBORE | | | | |
| UNIVERSAL DISPENSER | | | | |
| | | | | .22 |
| INDEX CASES & STANDS | | | | 00 |
| Bit Buddy | | | | |
| Drills | | | | |
| Metric | | | | |
| Reamers | | | | |
| Stub/Screw machine length | | | | |
| Silver Deming | | | | |
| Screw Extractor | | | | |
| Taper Shank/Taper Length | | | | |
| Tap | | | | |
| Burr | | | | |
| Stands | | | | |
| Tap & Drill | | | | |
| Gauges | | | | |
| COLLET RACKS | | | 15, | 16 |
| CAN RACK, SPRAY BOTTLE RACK | | | | .29 |
| CNC TOOLHOLDER IDENTIFICATION CHART | | | | |
| MOLDED INSERTS | | | | |
| | ••••• | • | ••••• | JU. |



ToolScoot™/Tool Cart for CNC V-Flange, HSK and CAPTO*



Quality and mobility at an affordable price. Molded inserts on both shelves help protect tool holders. Lower shelf angled for quick, easy tool access from either side. Solid, interlocking side panel construction for maximum strength and stability. Two end storage trays with universal mounting holes for toolholder vise. Heavy duty 5" x 11/4" casters load rated at 1000 lbs. All steel painted with our durable Ecolo-Clad in red and black.

| EDP# | Description 18" W x 35.25" L x 35" H, 75 lbs. | Capacity |
|-------|--|----------|
| 13930 | BT, CAT "V" Flange, NMTB for 30 taper | 48 |
| 13935 | BT for 35 taper | 48 |
| 13940 | BT, CAT "V" Flange, NMTB for 40 taper | 48 |
| 13945 | BT, CAT "V" Flange for 45 taper | 36 |
| 13950 | BT, CAT "V" Flange, NMTB For 50 taper | 36 |
| 13955 | 16C collets | 100 |
| 13960 | 5C collets | 96 |
| 13965 | R8 or #4 Morse Tape | 96 |
| 13970 | HSK 63A toolholders | 48 |
| 13980 | HSK 100A toolholders | 36 |
| 13984 | C4 CAPTO* style ToolScoot | 48 |
| 13985 | C5 CAPTO* style ToolScoot | 48 |
| 13986 | C6 CAPTO* style ToolScoot | 48 |

See #13778 C8 CAPTO style TriScoot on page 4

ToolScoot Drawer & Doors

YouTube video

EDP #14900 This drawer is designed to mount securely in the space at the bottom of your ToolScoot with the existing holes on your cart. With inside dimensions of 23-5/8" x 17" x 4" the lockable drawer provides ample space for most any tool. Full extension HD ball bearing slides and the full sized lid with built in cam-lock keeps everything clean and secure.

EDP #50515 Built from 16 gauge steel for strength with a polycarbonate window for visibility and protection along with a cam style lock for security. A large barrel piano style hinge makes installation a snap. Order one set of doors per side of traditional 2-shelf ToolScoot.







CNC Tooling Safety Covers

- Protects your expensive tooling from getting nicked and marred.
- Tooling is kept clean and a dry marker can be used for set-ups.
- Covers are held in place with key-hole slots molded into the base.
- Protects operator from injuries and allows for tool visibility.
- Semi-transparent top reduces industrial espionage.

| EDP# | Description 14" H, 0.5 lbs. |
|-------|--|
| 14000 | Semi-transparent - 30, 35, 40 or HSK63A tapers |
| 14001 | Clear - 30, 35, 40 or HSK63A tapers |
| 14015 | Semi-transparent - 45, 50 or HSK100A tapers |
| 14016 | Clear - 45, 50 or HSK100A tapers |








CNC V-Flange and HSK SuperScoot™



- Constructed of prime 12 gauge steel for rugged heavy duty use.
- Almost twice the storage capacity!
- Heavy duty, extra smooth rolling casters load rated to 1600 lbs. for long caster life, with locking caster mechanism.
- Baked on gold vein powder coating for lasting durability.
- Phosphate pretreatment undercoating for additional toughness.
- Designed for maximum toolholder capacity per square foot of cart space.
- Outrigger design for improved stability and easier maneuverability.





Scan for YouTube video

| EDP# | Description 45.25" W x 17.5" D x 40" H, 132 lbs. (width includes handle & tray) | Capacity |
|-------|--|----------|
| 23930 | 30 taper toolholders, 45 per shelf | 90 |
| 23940 | 40 taper toolholders, 45 per shelf | 90 |
| 23950 | 50 taper toolholders, 26 per shelf | 52 |
| 23970 | HSK 63A European style taper, 45 per shelf | 90 |
| 23980 | HSK 100A European style taper, 26 per shelf | 52 |

Toolholder Vises

Heavy duty vise designed to be bolted directly to our ToolScoot side shelves, work bench or any place heavy tool changing is performed. These unique products provide a quick and easy method for changing cutting tools and pull studs.

EDP #50525 For 40 CAT-V **EDP #50526** For 40 BT **EDP #50527** For 50CAT-V **EDP #50563** For HSK63A and KM63 and HSK63F **EDP #50523** For CAT-V 30

EDP #50527 For 50CAT-V EDP #50528 For 50 BT

EDP #50523 For CAT-V 30 **EDP #50524** For BT 30



TriScoot

The world famous Huot ToolScoot is now available with 3 shelves for even more storage space in the same footprint. This cart is ruggedly built just like the original but with a third more capacity and standing almost 7" taller.

| EDP# | Description 18" W x 35.25" L x 35" H, 75 lbs | Cap. |
|-------|---|------|
| 13409 | BT, CAT "V" Flange, NMTB For 40 taper | 72 |
| 13509 | BT, CAT "V" Flange, NMTB For 50 taper | 54 |
| 13774 | CAPTO style C4 toolholders | 72 |
| 13775 | CAPTO style C5 toolholders | 72 |
| 13776 | CAPTO style C6 toolholders | 72 |
| 13778 | CAPTO style C8 toolholders | 54 |
| 13916 | 3J Collets | 54 |
| 13963 | KM63 toolholders | 72 |
| 13964 | HSK 40A toolholders | 72 |
| 13993 | #30 VDI toolholders (not V-flange) | 72 |
| 13994 | #40 VDI toolholders (not V-flange) | 72 |
| 14865 | Side Tray to store collets, wrenches & supplies | N/A |





ToolScoot Tree

- Slotted uprights provide 35 possible shelf locations on each side of cart (70 total).
- Heavy 14 gauge unibody chassis with see through design.
- Includes 6 shelves 5 for toolholders and 1 for utility.
- Molded inserts protect and securely hold toolholders.
- Every 5th slot marked for easy shelf positioning.
- Shelves can be positioned flat or at a -20° angle.
- 16 gauge steel shelves for strength and rugged durability.
- Casters are load rated to 1,600 pounds.
- Heavy duty 5" casters two swivel with brakes and two stationary.



Utility Shelf comes standard with each Tree. We have created five new ER & TG Collet racks specifically designed to fit perfectly in this shelf. Please see page 15 for details.

| EDP# | Description 28.5" W x 57" H x 28" D, 135 lbs. | Capacity |
|-------|--|----------|
| 55930 | BT, CAT "V" flange, NMTB 30 taper toolholders | 90 |
| 55940 | BT, CAT "V" flange, NMTB 40 taper toolholders | 90 |
| 55950 | BT, CAT "V" flange, NMTB 50 taper toolholders | 50 |
| 55955 | 16C collets | 180 |
| 55964 | HSK 40A toolholders | 90 |
| 55970 | HSK 63A toolholders | 90 |
| 55973 | R8 collets | 275 |
| 55974 | 5C collets | 275 |
| 55976 | HSK 63F toolholders | 90 |
| 55980 | HSK 100A toolholders | 50 |
| 55984 | CAPTO C4 style toolholders | 90 |
| 55985 | CAPTO C5 style toolholders | 90 |
| 55986 | CAPTO C6 style toolholders | 90 |
| EDP# | Accessories | |
| 55100 | Toolbox with Writing Surface and Built-in Storage | |
| 55110 | Utility Shelf | |
| 55111 | Maple Butcher Block Shelf Insert | |
| 55114 | 18 hole Custom-U-Size-It Shelf | |
| 55115 | 10 hole Custom-U-Size-It Shelf | |
| 55140 | 40 Taper Extra Shelf | |
| 55155 | 16C Extra Shelf | |
| 55164 | HSK 40A Extra Shelf | |
| 55173 | R8 shelf holds 55 collets | |
| 55174 | 5C shelf holds 55 collets | |
| 55170 | HSK 63A Extra Shelf | |
| 55150 | 50 Taper Extra Shelf | |
| 55180 | HSK 100A Extra Shelf | |





Scan for YouTube video



Proudly Made In US



Built-in pegboard holes for hanging just about anything



Built-in slots provide easy and convenient storage for your spanner wrenches



V-Flange & HSK SpeedyScoot



- Only 15" wide, SpeedyScoot[™] lets you easily move tooling through narrow spaces between machines and around tight corners.
- Built heavy duty for the factory floor, SpeedyScoot combines rugged quality and easy mobility at an affordable price.
- Solid side panel construction for maxi mum strength, stability and cleanliness.
- Durable nylon inserts to help prevent tooling damage.

- Heavy duty 4" x 1-1/2" casters load rated at 1000 lbs.
- All steel infrared-baked epoxy finish in textured black with phosphate pretreatment.
- Options to suit your production needs including middle shelves and drawers.



| EDP# | V-Flange & HSK SpeedyScoot 15" W x 30" L x 35" H, 52 lbs | Capacity |
|---------------|--|-----------------|
| 33940 | BT, CAT "V" Flange, NMTB For 40 taper | 24 ¹ |
| 33950 | BT, CAT "V" Flange, NMTB For 50 taper | 15¹ |
| 33970 | HSK 63A | 24¹ |
| 33980 | HSK 100A | 15¹ |
| 1. Double too | ling capacity with optional second shelf (see below). | · |

SpeedyScoot™ Accessories






| EDP# | SpeedyScoot Accessories | Capacity |
|---------------|---|----------|
| 30001 | Tool drawer, ball bearing slides, built in cam lock ^{1,} 14 lbs. | N/A |
| 14190 | 2nd flat shelf without holes for bulk storage, 6 lbs. | N/A |
| 14170 | 2nd shelf for 40 taper, 6 lbs. | 24 |
| 14175 | 2nd shelf for 50 taper, 6 lbs. | 15 |
| 14180 | 2nd shelf for HSK 63A, 6 lbs. | 24 |
| 14185 | 2nd shelf for HSK 100A, 6 lbs. | 15 |
| 1. Requires E | DP #14190 2nd shelf without holes for mounting drawer. | |



Custom Scoot

We realize not everyone has machines that use common CAT, BT, HSK etc tooling. In an effort to help those who found that *great deal* on a machine that uses tooling from another planet, we've devised a method to accommodate their needs. Instead of using a molded insert to grip the toolholder, we use a sheet of 3/8" polycarbonate customized to your specific tool and mounted to a metal shelf. The shelf supports the weight of the toolholders and the polycarbonate acts as the insert. The toolholder is held by the D1 dimension of the tool, based on the toolholder's taper. It's that simple. Call or email us today for more information.

EDP #13914 24 holes per shelf, total of 72 EDP #13915 18 holes per shelf, total of 54







UltraScoot



Bigger, Badder, Beefier are just a few of the ways to describe the UltraScoot. Constructed of 12 gauge cold rolled steel, this monster leaves our factory with the chassis fully MIG welded so all you have to do is bolt on the casters and you're in business.

- UltraScoot comes with 4 adjustable shelves. Additional shelves may be ordered separately.
- Shelves have 11 possible mounting locations per side.
- Six casters, 4 swivel and 2 rigid load rated at a whopping 7,200 pounds.
- Strong tubular handle makes it easy to push or pull.
- Durable gold vein shelves with textured black chassis.
- Side shelf pre-punched for mounting a toolholder vise or universal dispenser.
- Tool changing vise sold separately (see page 4).
- Universal Master Dispenser fits perfectly in side shelf (see page 23).
- Customizable for live tooling heads. Contact the factory for details.
- See safety covers on page 3.





| EDP# | Description 75.25" W x 42.25" H x 29.75" D, 254 lbs. (Width includes handle & tray. Ships LTL.) | Capacity |
|-------|--|----------|
| 99940 | BT, CAT "V" flange, NMTB 40 taper toolholders | 176 |
| 99950 | BT, CAT "V" flange, NMTB 50 taper toolholders | 120 |
| 99960 | CAT 60 toolholders | 64 |
| 99970 | HSK 63A toolholders | 176 |
| 99980 | HSK 100A toolholders | 120 |
| 99125 | HSK 125A toolholders | 96 |
| EDP# | Accessories | |
| 14899 | Extra side shelf (1 is included) | |
| 99174 | Gold Vein Universal Master Dispenser (see page 23) | |
| 13174 | Battleship Grey Universal Master Dispenser (see page 23) | |



RUQT See page 3

Agols Coot C

Holds up to 48 toolholders and is built from 16 & 18 gauge cold rolled steel. 5" casters load rated to 1,000 pounds and it weighs 75 lbs. Flat top shelf with lower angled shelf for easy tool access. Solid, interlocking side panel construction for maximum strength and stability. Two end storage trays with universal mounting holes for toolholder vise.

ToolScoot



Holds up to 90 toolholders and is built from 14 & 16 gauge cold rolled steel. 5" casters are load rated to 1,600 lbs. and it weighs 160 lbs. Six shelves (5 for toolholders and 1 utility) can be positioned flat or at 20 degree angle in 70 possible positions.

TriScoot

Holds up to 72 toolholders with 5" casters load rated to 1,000 pounds and weighs 79 pounds. Built from 16 & 18 gauge cold rolled steel with three flat shelves that can be configured to 8 positions.

* 40 taper used for comparisons



See page 4

Holds up to 176 toolholders. Built from 12 gauge cold rolled steel with fully MIG welded chassis. Four flat shelves can be configured in 22 potential positions with one huge side tray. Four swivel and two rigid 6" x 2" casters load rated to 7,200 lbs. Weight 254 lbs.



Ompariso,

SpeedyScoot

Holds up to 24 toolholders and weighs just 52 lbs. One flat top shelf with optional second shelf available. Only 15" wide this lets you easily move tooling through narrow spaces between machines. Built from 18 gauge cold rolled steel with 4" casters load rated to 1,000 lbs.





Holds up to 90 toolholders and is built from 12 gauge cold rolled steel. 5" casters are load rated to 1,600 pounds and it weighs 132 lbs. Both shelves are at a 13 degree angle and can be configured to 8 positions. Outrigger design for improved stability and easier maneuverability.





SecurityScoot

Holds up to 48 toolholders with clear polycarbonate doors to secure both sides. You can store, organize, and lock up your CNC toolholders. Shelves can be adjusted to 7 different mounting positions. Sturdy steel construction with powder finish and 5" locking casters.

SecurityScoot

Store, organize, and lock up your CNC toolholders. The demand and need for locking up tools is increasing every day. The SecurityScoot provides a large, functional tray top, with toolholder storage and organization on 2nd and 3rd shelves, along with the added benefit of safety and security for your tooling. Enjoy the utility this unique product provides, and the peace of mind of knowing your tooling is locked up.

- Side tray allows for optional tool changing vise or collet racks
- Comes with 2 sets of doors to secure both sides
- Clear polycarbonate allows for easy at-a-glance tool identification
- Sturdy steel construction with scratch resistant powder finish
- Large open tray area for utility transport
- · Doors are keyed alike for easy operation and security
- Shelves can be adjusted in 7 different mounting positions
- Heavy duty 5" locking casters provide stability

| EDP# | Description 41" H x 35" W x 20" D, 127 lbs | Capacity |
|-------|---|----------|
| 16930 | 30 taper toolholders | 48 |
| 16940 | 40 taper toolholders | 48 |
| 16950 | 50 taper toolholders | 36 |
| 16970 | HSK63A taper toolholders | 48 |
| 16980 | HSK100A taper toolholders | 36 |



CNC Wall Tree Locker



| EDP# | Description 31.25" W x 15.75" D x 46.5" H, 110 lbs. | Capacity |
|-------|--|----------|
| 55731 | 30 taper toolholders | 54 |
| 55741 | 40 taper toolholders | 54 |
| 55751 | 50 taper toolholders | 30 |
| 55771 | HSK 63A toolholders | 54 |
| 55781 | HSK 100A toolholders | 30 |

The Huot Wall Tree Locker stores, organizes and protects your toolholders from dust, debris and theft. Increase your productivity and efficiency with other Huot products designed specifically for production shop use. See our website for information on our complete line of storage and organization solutions.

- Shelves mount flat or at a -20° angle for easy viewing and access
- Includes 3 toolholder shelves available in all popular tapers
- Molded inserts protect and securely hold toolholders
- Wall Tree toolholder shelves interchange with the ToolScoot Tree
- Frame and shelves made of rugged 12 and 16 gauge steel
- Different taper toolholder shelves can be used together
- Reinforced doors lock to keep valuable tools secure and protect against chips & debris
- Accessories for shelves are available for your specific needs
- Finished with a baked on powder coat for lasting durability



SuperTower

- · Constructed of prime 12 gauge steel for rugged heavy duty use.
- Finished in beautiful gold vein powder coating, baked on for lasting durability.
- Phosphate pretreatment undercoating for additional toughness.
- Angled shelving for easier, quicker tool access.
- Additional shelves available.
- Can be stored inside a standard 36" x 18" wide cabinet.
- Almost twice the storage capacity for less!
- · Heavier duty than others in its class.
- Tower is stackable two high to expand your storage area (see illustration).
- For added safety ToolTower should be bolted to the floor.



| EDP# | Descripion 33.75" W x 17.5" D x 33.5" H, 95 lbs. | Capacity |
|-------|---|----------|
| 23840 | 40 taper toolholders, 45 per shelf | 135 |
| 23850 | 50 taper toolholders, 26 per shelf | 78 |
| 23870 | HSK 63A toolholders, 45 per shelf | 135 |
| 23880 | 100A toolholders, 26 per shelf | 78 |
| EDP# | Accessories | Weight |
| 24860 | Stacking Kit - stack 2 SuperTowers together | 10 lbs. |



ToolTower for CNC V-Flange, HSK, VDI & CAPTO*



The Huot NC ToolTower provides an economical free standing storage unit for toolholders. It comes with 3 shelves and can be stacked to form a 5 or 6 shelf tower, providing a cost effective way to store and protect many NC toolholders in a compact space.

- Molded inserts protect each tool holder.
- Sturdy 16 gauge steel construction.
- Optional tool lock tray can be mounted on either side panel.
- ToolTower should be bolted to the floor for additional security.
- UPS shippable.



| EDP# | Description 27.3125" W x 18.3125" D x 36" H, 65 lbs | Capacity |
|--------------|--|----------|
| 13830 | 30 taper toolholders, 24 per shelf | 72 |
| 13835 | 35 taper toolholders, 24 per shelf | 72 |
| 13840 | 40 taper toolholders, 24 per shelf | 72 |
| 13845 | 45 taper toolholders, 24 per shelf | 72 |
| 13850 | 50 taper toolholders, 18 per shelf | 54 |
| 13858 | 20C collets, 24 per shelf | 72 |
| 13860 | 5C collets, 50 per shelf | 150 |
| 13865 | R8 or #4 Morse Taper tools, 50 per shelf | 150 |
| 13870 | HSK 63A, 24 per shelf | 72 |
| 13880 | HSK 100A, 18 per shelf | 54 |
| 13884 | C4 (CAPTO style) ToolTower | 72 |
| 13885 | C5 (CAPTO style) ToolTower | 72 |
| 13886 | C6 (CAPTO style) ToolTower | 72 |
| 13888 | C8 (CAPTO style) ToolTower | 54 |
| 13890 | 16C collets, 50 per shelf | 150 |
| 13893 | #30 VDI, 24 per shelf | 72 |
| 13894 | #40 VDI, 24 per shelf | 72 |
| *CAPTO Regis | tered Trademark Sandvik Corp. | |
| EDP# | Accessories | Weight |
| 14860 | Stacking Kit - stack two ToolTowers together | 7 lbs. |
| 14865 | Tool Lock Tray | |
| 50520 | One set of doors for ToolTower | |
| | | |

Machine Mount Rack



- 14 slots per side for a variety of shelf height adjustments
- Shelves mount flat or at a -20° angle for easy tool presentation
- Molded inserts (included) protect and securely hold toolholders
- 6 mounting locations ensure a sturdy, solid fit to the machine
- Large capacity up to 28 tools total
- Beveled corners
- Some additional sizes are available as special order.



Scan for YouTube video



EDP #56777 - Huots handy Accessory tray is great for keeping your constantly needed tools right within hands reach and easily mounts in the existing slots in your Machine Mount Rack. Simply insert the built-in tabs directly into the slots of the rack!

Designed to mount on the front or side of your machine this rack enables you to store and organize toolholders at your fingertips. This small, secure rack increases your efficiency by storing your tools right where you want them.

- Heavy duty construction utilizing a 14 gauge steel base with 16 gauge steel shelves, finished with scratch resistant powder paint
- Low profile keeps shelves close to the machine - only protrudes 11"

| EDP# | Description 18.25" H x 19" W x 11" D, 19 lbs. | Capacity |
|-------|--|----------|
| 56740 | 40 taper toolholders | 28 |
| 56744 | CAPTO style C4 tooling | 28 |
| 56745 | CAPTO style C5 tooling | 28 |
| 56746 | CAPTO style C6 tooling | 28 |
| 56750 | CAT 50 toolholders | 20 |
| 56770 | HSK 63A toolholders | 28 |
| 56780 | HSK 100A toolholders | 20 |
| | Accessories | |
| 56777 | Accessory Tray 17.375" W X 10.625" D X 10.5" H, 8 lbs. | |

LatheScoot

EDP #77300

Store and organize your turning tooling. You've used Huot ToolScoots for over 25 years to store and organize your milling tooling. What about your turning tooling? Chances are, it's scattered all over the shop. Here's another Huot storage and organization solution to increase your shop's efficiency and profits. This unique product was designed to increase the set up and operating efficiency of any turning machine operation. See our website for more information on our complete line of storage and organization solutions.

- Handy cylindrical bins with belt clips for drills, set up tools or stick tools
- Top drawer utilizes welded columns with dividers for tool organization
- Large 6" deep drawer for storing live tooling heads and other large tools
- Open area for collet chucks, 3 jaw chucks, hard and soft jaws
- Removable top bins store and organize set up tools
- Side tray for optional collet racks, presetters, or miscellaneous items
- · Welded frame for rigidity requires no assembly
- Blue and black paint combination differentiates milling and turning Scoots
- Live center shelf holds 3MT and 4MT taper centers by the shank
- Dimensions are 41" L x 35.25" H x 18" D.
- Shipping weight is 92 lbs, LTL only







Scan for YouTube video



WeldScoot

EDP #77400 - Red EDP #77401 - Blue

Welding with organization on the go. The Huot WeldScoot facilitates storage and organization for all of your welding accessories in a portable design. This handy product allows you to bring everything you need to weld, regardless of where it is in your shop. Maximize your welding efficiency by having everything together in one portable place.

- Surface area for welder is 17.75" x 27"
- Hose winder handle keeps hose neat and secure
- Center shelf with columns and dividers for storing tips, o-rings nozzles, clamps and more
- Locking casters for stability
- Multiple trays included for securely mounting several different tank sizes.
- No flimsy loose chains here!
- Built in cups hold welding rods in upright and ready-to-use position
- Open area in center shelf for regulators, clamps, strikers and more
- Large area for welding hood, goggles and accessories

Dimensions: 35" H x 37" W x 18" D.

Weight: 77 lbs.





Scan for YouTube video



UtilityScoot

EDP #16800

Simple, rigid, steel utility transporter. The Huot UtilityScoot is not your standard utility cart. Instead of plastic, it's built from premium cold rolled steel with the quality you would expect from Huot. Built to deliver the performance you've enjoyed from the rest of the carts in our Scoot line. For everything you need to move around your shop, the UtilityScoot delivers. See our website for more information on our complete line of storage and organization solutions.

- Tub depth is 2.25"
- Sturdy steel construction
- · Scratch resistant powder paint finish
- · Grab handle for easy maneuverability
- Lower shelf can be mounted in 2 positions
- · Locking casters for stability
- Made in the USA!

Dimensions: 32.25" H x 27.25" W x 18.25" D.

Weight: 65 lbs.





Workstation

The Huot Workstation provides a solid, stable work location with plenty of functional top surface space and was designed with a machine shop environment in mind. Everything you need to be productive is stored and organized right at your fingertips, with the ability to lock it up when finished. Placed next to a machine, the workstation provides a valuable resource for a machine operator's daily functions.

- Durable maple butcher block top with plenty of work space.
- Top 2 drawers utilize welded columns with dividers every 1" for customizing storage and organization (see photo below).
- Larger 4" drawer is open for larger tools and miscellaneous items
- Bottom tooling drawer holds up to 30 toolholders depending on taper size
- Cabinet has threaded holes on both sides for mounting a Huot tool changing vise* horizontally or vertically (shown)
- Heavy duty welded steel construction
- Locking doors protect against chips & debris and keep valuable tools secure
- · All drawers use full extension ball bearing slides
- · Cabinet pockets allow for movement with a forklift



*Vise sold separately

| EDP# | Description 34" L x 22.75" W x 39" H, 285 lbs | Capacity |
|-------|--|----------|
| 77230 | 30 taper toolholders | 30 |
| 77240 | 40 taper toolholders | 30 |
| 77250 | 50 taper toolholders | 18 |
| 77270 | HSK63A toolholders | 30 |
| 77280 | HSK100A toolholders | 18 |





Interior view of top 2 drawers

Scan for YouTube video

EDP #77277 Work-Surface Extension

This handy extension bolts to the side of the Workstation and effectively doubles the work surface. With a thick Maple top it makes an ideal base for a presetter or a shrink fit system. The lower shelf can be mounted at numerous heights to accommodate a CPU or a chiller, with adequate ventilation and cable/hose access. The outer leg is pre-punched to mount a Huot Machine Mount Rack (not included, see page 12) for even greater toolholder storage.







CNC, V-Flange, CAPTO, VDI, HSK ToolHolders & Collet Platform



Conveniently holds your CNC toolholders or collets, at the ready, for quick access. Angled platform for 30-35-40-45-50, HSK63A-HSK100A taper tools and 5C or R8 collets. See website for additional sizes.

| EDP# | Description 27.25" W x 20.25" D x 11" H at rear of rack, 15 lbs. | Capacity |
|-------|---|----------|
| 14858 | 20C collets | 24 |
| 14863 | KM63 toolholders | 24 |
| 14880 | HSK63A toolholders | 24 |
| 14885 | HSK100A toolholders | 18 |
| 14830 | 30 taper toolholders | 24 |
| 14835 | 35 taper toolholders | 24 |
| 14840 | 40 taper toolholders | 24 |
| 14845 | 45 taper toolholders | 18 |
| 14850 | 50 taper toolholders | 18 |
| 14856 | 5C collets | 48 |
| 14857 | 16C collets | 50 |
| 14866 | R8 or #4 morse taper | 50 |
| EDP# | Collet Bench Top Platforms | Capacity |
| 14824 | C4 CAPTO style | 24 |
| 14825 | C5 CAPTO style | 24 |
| 14826 | C6 CAPTO style | 24 |
| 14828 | C8 CAPTO style | 18 |
| 14833 | #30 VDI (not V-flange) | 24 |
| 14834 | #40 VDI (not V-flange) | 24 |

Collet Racks for ER/RD/DR/DA/TG



- Heavy 14 gauge steel finished with durable epoxy, powder paint.
- Mountable on bench top.
- Protects, stores and organizes your valuable collets.
- Models 14800, 14801, 14802, 14810, 14811 and 14813 fit within 2.0" drawer

| EDP# | Description 7.21875" W x 9.125" D x 1.375" H | Hole Size | Capacity |
|-------|---|------------------|----------|
| 14800 | Holds 11 Series Collets ER/RD/DR. | 27/64" | 49 |
| 14801 | Holds 16 Series ER/RD/DR | 39/64" | 49 |
| 14802 | Holds 20 Series ER/RD/DR | 49/64" | 36 |
| 14810 | Holds DA300 Collets | 5/16" | 49 |
| 14811 | Holds DA200 Collets | 15/32" | 49 |
| 14813 | Holds DA100 Collets | 43/64" | 36 |
| EDP# | Description 17" W x 9-1/8" D x 2" H | Hole Size | Capacity |
| 14803 | Holds 25 Series Collets ER/RD/DR | 61/64" | 48 |
| 14804 | Holds 32 Series Collets ER/RD/DR | 1-13/64" | 40 |
| 14805 | Holds 40 Series ER/RD/DR | 1-1/2" | 27 |
| 14806 | Holds 50 Series Collets ER/RD/DR | 2" | 21 |
| 14812 | Holds DA180 Collets | 29/32" | 48 |
| 14820 | Holds TG75 Collets | 1-1/32" | 40 |
| 14821 | Holds TG100 Collets | 1-5/16" | 27 |
| 14822 | Holds TG150 Collets | 1-59/64" | 21 |

Larger Collet Racks for ER/RD/DR/DA/TG



New larger collet racks fit perfectly in the utility tray of the ToolScoot Tree on page 5, or can be used on a workbench as well.

| EDP# | Description 26-17/32" W x 11-17/32" D x 2" H | Hole Size | Capacity |
|-------|---|------------------|----------|
| 14816 | ER16, 1" x 1" spacing | 39/64" | 260 |
| 14817 | ER20, 1-3/16" x 1-1/4" spacing | 49/64" | 176 |
| 14818 | ER25, 1-3/8" x 1-5/8" spacing | 61/64" | 114 |
| 14819 | ER32, 1-21/32" x 1-3/4" spacing | 1-13/64" | 90 |
| 14827 | TG100, 1-7/8" x 2" spacing | 1-5/16" | 70 |



V-Flange and HSK NC Racks



- Holds NC Toolholders, Collets and Tap Adapters
- Angled for easier selection of stored tools.
- Mounts on bench top or fits neatly inside standard 36" industrial cabinet.
- Heavy gauge steel with epoxy powder finish

| EDP# | Description 12.5" W x 16.5" D x 6.75" H | Weight |
|-------|---|----------|
| 14700 | 45 or 50 Taper NC Tool Holder has: 9 spaces for toolholders, 7 spaces for Tap Drivers or DA-180 Series Collets, 8 spaces for DA-180 Series, 10 spaces for DA-200 Series, 9 spaces for DA-300 Series | 5.5 lbs. |
| 14725 | 40 Taper NC rack has 12 spaces for toolholders, 7 spaces for Tap Drivers or DA-180 Series Collets, 8 spaces for DA-180 Series, 10 spaces for DA-200 Series, 9 spaces for DA-300 Series. | 5.5 lbs. |
| 14728 | 40 Taper NC Tool Holder has 12 spaces for each of the following: 40 taper toolholders, ER16 Collets and ER32 Collets. | 5.5 lbs. |
| 14730 | 30 Taper NC Tool Holder has 12 spaces for toolholders, 7 spaces for Tap Drivers or DA-180 Series Collets, 8 spaces for DA-180 Series, 10 spaces for DA-200 Series, 9 spaces for DA-300 Series. | 5.5 lbs. |

CNC, HSK Tool Tote Rack for 40 and 50 Taper



| EDP# | Description 28.75" L x 5.25" W x 6" H, 6 lbs | Capacity |
|-------|---|----------|
| 14780 | 40 taper tools | 6 |
| 14790 | 50 taper tools | 5 |
| 14770 | HSK 63A | 6 |
| 14775 | HSK 100A | 5 |

- · Bench mount, hand carry, or mount on top of your shop cart.
- · Heavy gauge steel with molded inserts to help protect your tooling
- Built-in handles for comfortable carrying
- Painted texture black with pollution free powder coating process.

5C, R8 Collet Racks

- Angled for visibility and easier selection of stored collets.
- Mountable on bench top.
- Tough, solvent free, epoxy finish Ecolo-Clad for long lasting protection.
- · Heavy gauge steel.

EDP #14600

Holds up to 30 pieces 5C Collets. **Dimensions:** Top 9" W x 12" D. **Weight:** 3 lbs.

weight. 5 lbs

EDP #14625

Holds up to 17 R8 Collets. **Dimensions:** Top 5¼" W x 9" D.

Weight: 2 lbs.





Machine or Wall Mount CNC ToolHolder Racks



• Mounts on the CNC machine or on a wall in any handy location.

| EDP# | Description 24" W x 5" L x 4.875" H, 7 lbs | Cap. |
|-------|---|---|
| 14763 | KM63 toolholders | 7 |
| 14771 | 40 taper V-flange CNC toolholders | 7 |
| 14776 | 50 taper V-flange CNC toolholders | 5 |
| 14777 | 30 taper toolholders | 7 |
| 14781 | HSK 63A CNC toolholders | 7 |
| 14791 | HSK 100A CNC toolholders | 5 |
| | 14771 14776 14777 14781 | 14763 KM63 toolholders 14771 40 taper V-flange CNC toolholders 14776 50 taper V-flange CNC toolholders 14777 30 taper toolholders 14781 HSK 63A CNC toolholders |



Original Series







Most Original Series Dispensers Feature:

- Original series are as the name implies, the first style of dispensers that Huot created.
- Most models are 3, 4 or 5 drawers and weigh between 10 and 14 pounds.
- All models measure 14-5/8" W x 7-5/8" D x 7-3/4" H and utilize a compound type slide.
- Holds full packages of each size (12 pc. min.).
- Stackable for larger inventories.
- One piece drawer slide for long useful life.
- · Decimal equivalents.

Master Series







Master Drill Dispensers Feature:

- Ball bearing drawer slides
- Lockable with built in cam lock and comes with two keys.
- Each drawer measures 23.125" wide; 11" front to back.
- Stackable for larger inventories at one location.
- All steel cabinet with vinyl dividers helps protect and separate bits.



Scan for YouTube video



Drill Dispensers, Original

EDP #13000 Fractional drills 1/16" to 1/2" by 64ths.

Weight 101/4 lbs.

EDP #13025 Drills #1 to #60 Wire Gauge.

Weight 131/4 lbs.

EDP #13050 Drills A to Z letter size.

Weight 101/4 lbs.

EDP #13075 Drills 1mm to 13mm by 0.5mm.

Weight 10¾ lbs.

EDP #13100 Drills 1mm to 6.9mm by 0.1mm.

Weight 13\% lbs.

EDP #13040 Drills #1 to #80 Wire Gauge

Weight 13\% lbs.

Stub/Screw Machine Dispensers

EDP #13015 Stub drills $\frac{1}{6}$ " to $\frac{1}{2}$ " x 64ths,

101/4 lbs. each

EDP #13030 Stub drills 1-60, 131/4 lbs. each

EDP #13060 Stub drills A-Z, 101/4 lbs. each

EDP #13080 Stub drills 1mm-13mm x 0.5mm,

101/4 lbs. each

EDP #13090 Stub drills 1mm-6.9mm x 0.1mm,

13% lbs. each

Silver Deming, Original

EDP #13166

Holds 2 each reduced shank S/D bits from 33/64ths to 63/64ths by 64ths

Dimensions: 14-5/8" W x 7-3/8" D x 7-3/4" H.

Weight: 13-1/4 lbs.

EDP #13167

Holds 2 each reduced shank S/D bits 1", 1-1/32, 1-1/16, 1-1/8, 1-5/32, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2

Weight: 10-3/4 lbs.

Drill Dispensers, Master

EDP #13175 • Drills, Fractional, Letter, Wire, Standard, All-In-One

Holds full packages (minimum of 12 pcs.) of jobber or screw machine length drills, fractional, letter and wire gauge sizes in one complete cabinet.

- \bullet Top drawer holds fractional drills $\%_6"$ to $\%_2"$ by 64th with 42 compartments.
- 2nd drawer is for #1 to #60 wire gauge with 75 compartments
- 3rd drawer for letter size A to Z with 42 compartments.
- Drawer Divider Kits available for lower drawer, see page 23.

Scan QR code for detail including drawer configuration photos.



EDP #13085

Holds metric drill bits from 1 mm to 25 mm x 0.5 mm.

Scan QR code for detail including drawer configuration photos.



EDP #13180

Holds metric drills from .35mm to 13.00mm. Sizes include: .35mm to 2.50mm by .05mm, 2.6mm to 10.0mm by .1mm, 10.2mm, 10.5mm, 10.8mm, 11.0mm, 11.2mm, 11.5mm, 11.8mm, 12.0mm, 12.2mm, 12.5mm, and 13.0mm.

138 compartments to store and inventory all your metric drill bits. Same great features as our #13175 jobbers length master cabinet.

Dimensions: 26" W x 12" D x 12½" H.

Weight: 50 lbs.

Scan QR code for detail including drawer configuration photos.



EDP #13190 • Drills, Fractional, Letter, Wire, Metric, All-In-One

Cabinet holds fractional drills $\frac{1}{16}$ to $\frac{1}{2}$ " by 64ths, 1 to 60 wire gauge, A to Z letter sizes and metric from 0.35mm to 13.00mm including 0.35mm to 2.50mm x .05mm, 2.6mm to 10.0mm x .1mm, and 10.2, 10.5, 10.8, 11.0, 11.2, 11.5, 11.8, 12.0, 12.2, 12.5, 13.0mm. Will hold a

minimum of full packages of each size.

Scan QR code for detail including drawer configuration photos.



EDP #13700 • Metric Drills, End Mills, Reamers, All-In-One

Metric - 4 in 1 Combination Dispenser

Drills - Metric .35mm to 2.5mm x .05mm, 2.6mm to 10mm x .1 and additional common sizes up to 13mm.

End Mills - Metric 2.0 to 7.0 x .5 and 8.0, 9.0, 10.0, 11.0, 12.0, 12.5, 13.0mm Taps - 31 of most commonly used taps from 2.5mm x .45 to 30mm x 3.50mm Reamers - Metric 1.0mm to 13.0mm x .5

Both models are 6 drawer cabinets measuring 26" W by 12" D by $15^{13}\%$ " H and ship at 80 lbs. Must ship via LTL, not via UPS. Drawers measure 23%" W x 11" D x 2" H. Equipped with smooth ball bearing drawer slides. Weight 80 lbs.



Scan QR code for detail including drawer configuration photos.



Tap Dispenser, Original

EDP #13500

14"-20NC 14"-28NF 16"-18NC 16"-24NF %"-16NC %"-24NF %"-14NC %6"-20NF ½"-13NC ½"-20NF %"-12NC %"-18NF %"-11NC %"-18NF %"-10NC %"-16NF %"-9NC %"-14NF 1"-8NC 1"-12NF

Weight: 10½ lbs.

EDP #13550

Holds taper, plug, bottoming, and spiral point taps. 60 compartments. Holds machine screw sizes:

2-56 3-48 3-56 4-40 4-48 5-40 5-44 6-32 6-40 8-32 8-36 10-24 10-32 12-24 12-28

Weight: 13 lbs.

EDP #13575

Holds 29 popular metric sizes:

3mm x .50 3mm x .60 4mm x .70 4mm x .75 5mm x .90 5mm x .80 6mm x 1.00 6.3mm x 1.00 7mm x 1.00 8mm x 1.00 8mm x 1.25 9mm x .75 9mm x 1.00 9mm x 1.25 10mm x 1.00 10mm x 1.25 10mm x 1.50 11mm x 1.50 12mm x 1.25 12mm x 1.50 12 mm x 1.75 14mm x 1.25 14mm x 1.50 14mm x 2.00 16mm x 1.50 16mm x 2.00 18 mm x 2.50 20mm x 2.50 24mm x 3.00

Weight: 10½ lbs.

National Pipe Tap Dispenser

EDP #13560

Top drawer has 13 compartments

Holds NPT from 1/16" to 2" Two for 1/16" - 27, Two for 1/8" - 27 Three for 1/4" - 18, Three for 3/8" - 18 Three for 1/2" - 14

Middle drawer has 6 compartments

Three for 3/4" - 14, Two for 1" - 11-1/2 One oversized for 1-1/4" - 11-1/2

Bottom drawer has 2 oversized compartments

One for 1-1/2" - 11-1/2, One for 2" - 11-1/2 **Dimensions:** 14-5/8" W x 7-3/8" D x 7-3/4"H

Weight: 10-1/4 lbs.

Phosphate pretreatment and finished in Huot's battleship gray powder coating for good looking inventory control and long useful life.

Tap Dispensers, Master

EDP #13585

- Holds most common NC/NF sizes from 1/4" to 1-1/2".
- Holds metrics from 2.5 mm to 30 mm.
- Holds machine screw size 2-56 thru 12-28, taper, plug, bottom and spiral.
- Extruded vinyl drawer dividers protect taps.
- Top drawer has 40 compartments.
- Second drawer has 78 compartments.
- Third drawer has 21 compartments.
- Fourth drawer has 13 compartments.
- Stackable for larger inventories.
- · Lockable.
- Ball bearing drawer slides.

Scan QR code for detail including drawer configuration photos.

Dimensions: 26" W x 12" D x 12½" H. **Weight:** 50 lbs.

EDP #13580

- For sizes ¼"-20 to 1"-14 taps
- Holds bottom, plug and taper of each size:

½"-13 ½"-20 %"-12 %"-18 %"-11 %"-18 ¾"-10 ¾"-16 ½"**-**9 ½''-14 1"-8 1"-14

• Holds taper, plug, bottom and spiral:

2-56 3-48 3-56 4-40 4-48 5-40 5-44 6-32 8-36 10-24 10-32 12-24 12-28 6-40 8-32

Scan QR code for detail including drawer configuration photos.

Dimensions: 26" W x 12" D x 12.5" H. Weight: 50 lbs.

Scan for YouTube video



Taper Shank & Length Drill Dispenser

EDP #13185

- Conveniently stores Taper Length or Taper Shank Drills from 1/8" to 1" by 64ths.
- Vinyl drawer dividers separate and protect drills.
- Drawer dimensions: 23-1/8" L x 11" W (front to back).
- Stackable with other dispensers.
- · Built-in cam lock with two keys.
- Equipped with smooth ball bearing drawer slides.

Scan QR code for detail including drawer configuration photos.

Dimensions: 26" W x 12" D x 12.5" H. Weight: 50 lbs.



Silver Deming, Master

EDP #13165

Cabinet holds the following Silver Deming drills: 33/64ths to 1" by 64ths, as well as $1-\frac{1}{32}$ ", $1-\frac{1}{16}$ ", $1-\frac{1}{8}$ ", $1-\frac{3}{16}$ ", $1-\frac{1}{4}$ ", $1-\frac{3}{8}$ ", $1-\frac{1}{2}$ ".

- Lockable dispenser contains a total of 110 compartments.
- 103 identified for each size Silver Deming drill.
- An additional 7 compartments for specialized requirements.
- Equipped with smooth ball bearing drawer slides.
- Drawers measure 23.125" W x 11" D x 2" H.

Dimensions for 6 drawer cabinet: 26" W x 12" D x 15-13/16" H. Weight: 80 lbs., must ship via LTL, not via UPS.

Scan QR code for detail including drawer configuration photos.





Tap and Drill Dispenser, Original





EDP #13590

- Stores and organizes correct drill with corresponding size Tap.
- Holds approximately one dozen (minimum) of each size.

| TAP | DRILL | TAP | DRILL |
|-----------------------|-------|----------------------------|-------------------------------|
| 6 - 32 | #36 | 5⁄16 - 24 | - 1 |
| 8 - 32 | #29 | % - 16 | 5∕ ₁₆ |
| 10 - 24 | #25 | % - 24 | Q |
| 10 - 32 | #21 | 7/16 - 14 | U |
| 1/4 - 20 | #7 | ⅓ ₆ - 20 | ²⁵ / ₆₄ |
| 1/4 - 28 | #3 | ½ - 13 | ²⁷ / ₆₄ |
| 5/ ₁₆ - 18 | F | 1/2 - 20 | 29/64 |

Weight: 10½ lbs.

Metric Taps, Drills & Dies

EDP #13595

Holds Metric taps, drill and dies. From $2.5 \times .45$ tap to 12.0×1.75 tap and holds the following sizes:

Top drawer: 2.5 x .45 tap - 2.05 drill, dies

3.0 x .50 tap - 2.50 drill, dies 3.5 x .60 tap - 2.90 drill, dies 4.0 x .70 tap - 3.30 drill, dies

Middle drawer: 5.0 x .80 tap - 4.20 drill, dies

6.0 x 1.0 tap - 5.00 drill, dies 8.0 x 1.25 tap - 6.70 drill, dies

Bottom drawer: 10.0 x 1.50 tap - 8.50 drill, dies

12.0 x 1.75 tap - 10.20 drill, dies

Weight: 10.25 lbs.

Phosphate pretreatment and finished in Huot's battleship gray powder coating for good looking inventory control and long useful life.

Counterbore Dispenser, Original



EDP #13570 Holds continuous pilot counterbores 4, 5, 6, 8, 10, 12, 1/4, 5/16, 3/8, 7/16 & 1/2" **Weight:** 14 lbs.

Tap & Drill Dispensers, Master

EDP #13597

Holds Tap & Drill sizes #0-80 3/64 to 1.5-12 1-27/64

- Conveniently holds tap with the corresponding tap drill. No wasted time looking for proper sizes as they'll be right at your fingertips.
- Holds approximately one dozen each of the smaller sizes and at least several of each of the larger sizes.
- Built in cam lock with two keys.
- Heavy duty ball-bearing drawer slides for easy use and long service life.

Scan QR code for detail including drawer configuration photos.

Dimensions: 26" L x 12" W x 12.5" H. **Weight:** 50 pounds.

EDP #13599

Same great features as above model but for metric taps and drills. M1.6x0.35 1.25mm to M24x2.0 22.00mm

Dimensions: 26" L x 12" W x 12.5" H. **Weight:** 50 pounds. *Scan QR code for detail including drawer configuration photos.*





Custom colors available when ordering 50 or more dispensers



End Mill Dispenser

EDP #13350

For Small Inventories

1 Compartment for 9/16",11/16", 7/8"

2 Compartments for 3/16", 5/16", 7/16", 5/8", 1"

3 Compartments for 1/8", 1/4", 3/8", 3/4"

4 Compartments for 1/2"

Weight: 10.25 lbs.

Carbide Burr Dispenser

EDP #13200

Holds these sizes: Cylindrical 1/4" x 5/8" Ball 1/4" x 1/4" Tree Rad. 1/4" x 3/4" Cone/Rad. End 1/4" x 5/8" Cyl./Rad. End 3/8" x 3/4" Oval 3/8" x 5/8" Tree/Pointed 3/8" x 3/4" Cone/Flat End 1/4" x 1" Cone/Rad. End 1/2" x 1-1/8" Cone/Flat End 3/8" x 1" Cylindrical 1/2" x 1" Cyl./Rad. End 1/2" x 1" Oval 1/2" x 7/8"

Cyl. Rad. End 1/4" x 5/8" Oval 1/4" x 3/8" Tree/Pointed 1/4" x 3/4" Cylindrical 3/8" x 3/4" Ball 3/8" Tree/Rad, End 3/8" x 3/4" Cone/Rad. End 3/8" x 1-1/16"

Ball 1/2" Tree/Rad, End 1/2" x 1" Cone/Flat End 1/2" x 1"

Tree/Pointed 1/2" x 1" Weight: 10½ lbs.

Reamer Cabinets, Dispenser

- 4 models for reamer organization.
- Ideal where compact space is a must.
- Decimal equivalents also listed.

EDP #13410

Fractional Reamers 1/16" to 1/2" by 64ths, Weighs 13 lbs.-4 drawers.

EDP #13415

A to Z Reamers

Weighs 13 lbs.-3 drawers.

EDP #13420

Wire gauge sizes #1 to #60, Weighs 14 lbs.-5 drawers.

EDP #13425

Metric reamer dispenser holds 1mm to 13mm x 0.5mm. Weighs 14 lbs

EDP #13430

Combination cabinet for over/under and dowel pin sizes, Weighs 11 lbs.-3 drawers.

2 or 4 Flute & Metric End Mill Dispensers

EDP #13300

For 2-Flute End Mills, popular sizes 1/16" to 1" fractional. Lockable and stackable.

Scan QR code for detail including drawer configuration photos.



EDP #13325

For 4-Flute End Mills, popular sizes 1/16" to 1" fractional. Lockable and stackable.

Scan QR code for detail including drawer configuration photos.



9.00mm, 10.0mm

EDP #13375

Metric end mills are separated and identified from 2.0mm to 25.0mm. 68 prelabeled compartments help you quickly locate the proper cutting tool. Holds the following metric end mills: 2.0mm 3.0mm 2.5mm 3.5mm 4.0mm 4.5mm

8.0mm

5.0mm 5.5mm 6.0mm 7.0mm

12.0mm 12.5mm 13.0mm 14.0mm 11.0mm 15.0mm 16.0mm 17.0mm 18.0mm 19.0mm 20.0mm

21.0mm 22.0mm 23.0mm 24.0mm 25.00mm

Top Drawer 41 Compartments (13300 & 13325)

Holds 6 each single end fractional end mills in following sizes: 1/8", 3/16", 1/4", 5/16", 3/8", $\frac{7}{16}$ " and $\frac{1}{2}$ ". 3 each $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{7}{8}$ ", and 1" with 6 extra compartments for specials.

Middle Drawer 41 Compartments

Holds 6 each double end fractional end mills in following sizes: 1/6", 1/2", 1/2" with %" shank, %" with %" shank, %2", %6" with %6" shank, %6" with %" shank, ¼", 56", %", 1/6" and 1/2". 3 each 1/8", 1/4", 1/8" and 1".

Lower Drawer Undivided

Use for extra end mills, cutters, drills, reamers and miscellaneous tools. See page 23 for Optional Drawer Divider Kit #14030.

Dimensions: All models 26" W x 12" D x 95/16" H. Each drawer measures 231/8" W x 11" D x 2" H. Each drawer with ball bearing slides.

Weight: 40 lbs. ea.

Scan QR code for detail including drawer configuration photos.



Reamer Cabinets. Dispenser

EDP #13400

Stores following reamers:

1/8"-4 ea., .1230 d/p, .1240 under, .1247 d/p, .1260 over, 3 ea. 3/16", .1855 d/p, .1865 under, .1870 d/p, .1885 over, 3 ea. 1/4"-4 ea., .2480 d/p, .2490 under, .2495 d/p, .2510 over, 3 ea. ⁵/₁₆"-3 ea., .3105 d/p-3 ea., .3115 under 2 ea., .3120 d/p-2ea., .3135 over-2 ea. 3/8"-4 ea., .3730 d/p, .3740 under, .3745 d/p, .3760 over, 3 ea. 7/16", .4355 d/p, .4365 under, .4370 d/p, .4385 over, 2 ea. 1/2"-4 ea., .4980 d/p-2 ea., .4990 under, .4995 d/p, .5010 over, 3 ea.

Lockable, Stackable.

· Ball bearing drawer slides.

Dimensions: 26" W x 12" D x 9⁵/₆" H. **Weight:** 40 lbs.

Scan QR code for detail including drawer configuration photos.

EDP #13450

Fractional Reamers 1/16" to 1/2" Over/Under Reamers from .1240 to .5010 Dowel Pin Reamers from .1230 to .4995 Metric Reamers from 1.0mm to 13.0mm x .5

Dimensions: 26" W x 12" D x 12.5" H. **Weight:** 50 lbs.

Scan QR code for detail including drawer configuration photos.





Insert Dispenser



EDP #13650

- Designed to keep inserts at each work center.
- Compact size and affordable price lets the user keep the most frequently used inserts within fingertip reach.
- Three drawers have a moveable divider with a large fourth drawer to store tool holders and extra inserts.
- Label holders on drawer fronts permit easy, quick identification and inventory check.
- Stackable with other cutting tool storage cabinets to save space.

Weight: 13 lbs.

Insert Dispenser Master



EDP #13600

- Holds Square, Triangular, Diamond and Round Inserts, with additional space for Specials.
- 36 Compartments to hold packages or loose inserts. Measures 3-3/4" W x 5-1/2" D.
- Pre-labeled for insert shape.
- Label set included for your personalized marking of size, radius, grind and thickness.
- · Lockable and comes with set of two keys.
- Stackable with other dispensers.
- · Ball bearing drawer slides.

Dimensions: 26" W x 12" D x 12.5" H. **Weight:** 50 lbs.

Scan QR code for detail including drawer configuration photos.



Universal Master Dispenser



EDP #99174 - Gold Vein EDP #13174 - Battleship Gray

- Full extension ball bearing slides with posi-lock catch.
- 72 movable dividers included.
- 3 drawers are divided, bottom drawer is open for larger tools.
- · Key lock on all Master models.
- Steel construction

Dimensions: 12" W x 12" D x 12.5" H.

Weight: 50 lbs.





Under-mount Drill Dispensers

EDP# 30000 for fractional drills 1/16" to 1/2" x 64ths

EDP# 30025 for wire gage drills #1 to #60


EDP# 30050 for A to Z letter drills

EDP# 30001 empty under-mount drawer, no dividers, for miscellaneous storage.

There just never seems to be an easy place to store and organize all of your drills. The Under-Mount Drill Dispenser can be mounted under a bench, attached to a desk or secured to a shelf. Ball bearing slides with built in cam locks ensure smooth operation. The keyed lock helps secure your drills where you need them.

Overall Dimensions: 26.125" W x 12.5" D x 4.5" H. **Drawer Dimensions:** 23.125" W x 11" D x 3" H.

Weight: 14.5 lbs.



Wall Mounted Original Dispenser Cabinet

EDP #14100

Secure up to 3 original dispenser cabinets and locks using your own padlock with our wall mounted cabinet. Featuring heavy 18 gauge prime steel powder coated in our exclusive Huot battleship gray. Shipped KD and supplied with carriage bolts and nuts for easy asembly. Provide protected storage for your valuable cutting tool inventory. Wall mounted on 16" centers using your own mounting hardware.

 $\textbf{Dimensions:}\ 17.75\text{"}\ \text{W}\ \text{x}\ 9.25\text{"}\ \text{D}\ \text{x}\ 24.5\text{"}\ \text{H}.$

Weight: 20 lbs.






Dispenser Drawer Divider kit

EDP #14030

- Four sections create 25 compartments in Huot Master Series standard 11" x 23-1/8" dispenser drawers and most tool boxes.
- Individual compartments are each 11" deep x 15/16" wide x 1" high.

EDP #14060

- Four sections create 17 compartments 1-1/4" wide and 11" deep.
- Vinyl compartments separate tools to prevent damage and organize inventory.
- Can be labeled for inventory control and tracking.
- Use in combination with Protective Vinyl Webbing to multiply drawer capacity.





Super Chest and Super Cabinet

- Solid welded drawer dividers front to back provide a rigid smooth surface with no holes to lose parts.
- 24,000 combined cubic inches of usable storage space.
- Heavy duty cam lock and hidden locking mechanism.
- Rugged, exclusive I-beam doublewall construction.
- 18 gauge, all steel construction with Huot's Ecolo-Clad plastic paint. Environmentally safe finish.
- Steel skid keeps unit off floor and allows for stacking for even greater space savings.
- Stackable. Two high maximum.
- Label holders provide identification at a glance.
- Each drawer rigidly constructed of solid steel with no holes in drawer bottom to keep small parts inside of drawer. Will hold 150 lbs. supported on full extension ball bearings slides.
- Deeper drawers available.

EDP #13530

Super chest with 8 drawer capacity. 240 individual drawer dividers included. **Dimensions:** 34" W x $19\frac{1}{8}$ " D x $23\frac{1}{8}$ " H. **Weight:** 220 lbs.

EDP #13525

Super cabinet with 15 drawer capacity. 480 individual drawer dividers included.

Dimensions: 34" W x 19 $\frac{1}{8}$ " D x 38" H. Each drawer measures 29" W x18"D x 2"H. **Weight:** 375 lbs.



Scan for YouTube video





EDP #13527

Super cabinet with 8 drawer capacity. 7 drawers 4" high, 1 drawer 2" high. 480 individual drawer dividers provided. Dimensions: 34" W x 191/8" D x 38" H. Each drawer measures 29" W x 18" D x 2" H. Weight: 375 lbs.

Huot Mfg. Co. does not manufacture or distribute cutting tools of any type. Cutting tools shown in all photos are for display purposes only.



Drill Indexes/U.S.

EDP #12750

For jobbers length fractional drills $\frac{1}{6}$ " to $\frac{1}{4}$ " inclusive by 64ths.

Dimensions:: 4" W x 5%" D x 166" H.

EDP #10350

For jobbers length fractional drills $\frac{1}{6}$ " to $\frac{1}{2}$ " inclusive by 32nds.

Dimensions: 4" W x 7" D x 11/4" H.

EDP #10400

For wire gauge drills No. 61 to 80. **Dimensions:** 1½" W x 2" D x ½2" H.

EDP #10450

For jobbers length fractional drills $\frac{1}{6}$ " to $\frac{3}{6}$ "

inclusive by 64ths.

Dimensions: 4" W x 6" D x 11/4" H.

EDP #10500

For letter size drills A to Z inclusive. **Dimensions:** 4" W x 7" D x 1%" H.

EDP #10550

For jobbers length fractional drills % " to %" by 64ths inclusive. Decimal equivalents and U.S.S. tap information included.

Dimensions: 4" W x 7" D x 1¾" H.



EDP #10600

For wire gauge drills #1 to #60 inclusive. Decimal equivalents and machine screw tap information included.

Dimensions: 3½" W x 4½" D x 1" H.

EDP #10700

For wire gauge drills 1 to 80 inclusive.

Dimensions: 3½" W x 4½" D x ½6" H.

EDP #10800

For jobbers length fractional drills 1/64" to 1/4"

by 64ths.

Dimensions: 4" W x 5%" D x 5%" H.

EDP #12300

For $\frac{1}{16}$ " to $\frac{1}{4}$ " by 64ths and $\frac{9}{2}$ " to $\frac{1}{2}$ " by 32nds, jobbers length.

Dimensions:: 4" W x 7" D x 11/4" H.

EDP #10875

Maintenance Index

19 piece index holds every drill needed for frequent maintenance work in one handy index case. Holds $\%_6$ ", $\%_4$ ", $\%_2$ ", $\%_1$ ", #29, #25, $\%_2$ ", #21, $\%_6$ ", #7, $\%_2$ ", %", #F, $\%_6$ ", #U, %", $^2\%_4$ ", $\%_6$ ", $\%_6$ ", %".

Dimensions: 4" W x 7" D x 11/4" H.

EDP #11655

Holds 6" OAL aircraft extension bits from 1/16" to ½" by 64ths.

Dimensions: 4" W x 2" D x 8¾" H.

Weight: 1.5 pounds.

EDP #15235

Holds jobber length drills 1/6", 1

Dimensions: 4" W x 7" D x 11/4" H.

For metric sizes see page 26

Screw Extractor & Drill Index

EDP #10200

Holds #1, #2, #3, #4, #5 screw extractor and corresponding size

Dimensions: 4" W x 5-1/2" D x 1/2" H.



Reamer Cases

These handy, all-steel reamer cases are designed to hold the reamer securely by the shank to help protect delicate cutting edges. Indexed for reamer size in decimal equivalents, with raised embossed lettering for permanent identification.

EDP #12100

Over and Under sizes .124 - .126 to .499-.501 by 16ths. Holds 14 reamers. **Dimensions:** 4" W x 8-5/18" D x 13/16" H.

EDP #12125

For dowel pin reamers .123 to .4995. Holds 14 reamers.

Dimensions: 4" W x 8-5/8" D x 13/16" H.



EDP #12000

A to Z reamers.

Dimensions: 4" W x 8-5/8" D x 1-13/16" H.

EDP #12050

Chucking reamers 1/16" to 1/2" by 64ths. **Dimensions:** 4" W x 8-5/8" D x 1-13/16" H.

EDP #12200

No.1 to 60 inclusive.

Dimensions: 3-3/8" W x 6-3/4" D x 13/16" H.

EDP #12130

For metric reamers 1.00mm to 13.00mm by 0.5mm. Holds 25 reamers in an all steel case with easy to read mylar identification labels to pick the right size quickly and easily. **Dimensions:** 8-3/4" W x 4"D x 1-3/4"H.



Bit Buddy

Bit Buddy is all plastic, break resistant and water resistant, durable and holds Jobbers length or Mechanics length drill bits.

EDP #30550

For Jobbers length drills $\frac{1}{16}$ " to $\frac{1}{2}$ " by 64ths.

EDP #30650

For Mechanics length drills 1/16" to 1/2" by 64ths.

Huot Mfg. Co. does not manufacture or distribute cutting tools of any type. Cutting tools shown in all photos are for display purposes only.

Custom colors available in 500 piece quantities.





Combination Indexes

EDP #11700

Holds 115 drills-29 fractional, 26 letter and 60 wire gauge; 1/16" to 1/2" by 64ths, 1 to 60, A to Z letter size. (Stub version EDP #11550 available see page 27).

EDP #11750

Same features as Model #115 above but includes the #61-80 wire gauge sizes in one complete index. Holds 135 drills.

EDP #11800

Holds 134 drills-29 fractional, #80 wire gauge and 25 metric; 1/16" to 1/2" by 64ths #1 to #80 wire gauge, 1mm to 13mm by 0.5mm.

Dimensions: 131/2" W x 45/8" D x 21/4" H.

Weight: 4 lbs.



Ideal for keeping all of the most commonly used drills handy. Holds up to 135 drills in one combination case. Indexed for size and decimal equivalents.

EDP #11825

Holds 118 most popular metric bits from 1.0mm to 13.0mm. See metric indexes below for full description.

Dimensions: 13⁵/₁₆" L x 4¹/₂" W x 2³/₄" H.

Weight: 4 lbs.

EDP #11550

EDP #11250

EDP #12765

Holds 115 stub screw machine length drills in one case. For stub drills 1/16" to 1/2" by 64ths, 1 to 60 wire gauge and A to Z letter

Dimensions: 13½" W x 4¾" D x 2¼" H.

1mm to 5.9mm by 0.1mm inclusive.

3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5.

Dimensions: 4" W x 53/8" D x 5/16" H.

Holds 1.0, 1.2, 1.5, 2.0, 2.5,

Dimensions: 31/4" W x 41/2" D x 1" H.

Drill Indexes/Metric

EDP #11825

Holds 118 most popular metric bits from 1.0mm to 13.0mm. Sizes include:

2.6mm to 10.0mm by .1mm 10.2mm 10.5mm 10.8mm 11.0mm 11.2mm 11.5mm 11.8mm 12.0mm 12.2mm 12.5mm 12.8mm 13.0mm

1.00mm to 2.50mm by .05mm

U.S. decimal equivalents are given for each size drill.

Dimensions: 13% "L x 4½" W x 2¾" H. Weight: 4 lbs.

EDP #11000

1mm to 6mm inclusive by 0.5mm **Dimensions:** 4" W x 5½" D x ½" H.

EDP #11050

1mm to 7mm inclusive by 0.5mm **Dimensions:** 4" W x 5½" D x ½" H.



1mm to 10mm by 0.5mm inclusive. **Dimensions:** 4" W x 6" D x 11/8" H.

EDP #11150

1mm to 13mm by 0.5mm inclusive. **Dimensions:** 4" W x 7" D x 1¾" H.

6mm to 10mm by 0.1mm inclusive. **Dimensions:** 4½" W x 7½" D x 2½" H.

EDP #11100

EDP #11200

Silver Deming

EDP #10760

For drills: 9/16" to 1" by 16ths. Holds eight S/D drills securely by the 1/2" shank. **Dimensions:** 8½" L x 6½" W x 2" H.

Weight: 2½ lbs.

(See page 28 for S/D stand)



Three index cases to complete S/D drills from 1/2" to 1" by 64ths

EDP #10761

15 S/D drills 1/2" to 23/32" by 64ths

EDP #10762

10 S/D drills 47/64" to 7/8" by 64ths

EDP #10763

Weight: 2½ lbs.

Taper Shank/Taper Length

EDP #10900

For Morse taper shank and taper length straight shank drills 33/64" to 3/4" by 64ths.

Dimensions: 5½" W x 12%" D x 3½" H.

EDP #10950

For Morse taper shank and taper length straight shank drills 49/64" to 1" by 64ths. **Dimensions:** 6%" W x 15%" D x 3%6" H.



EDP #10900

EDP #11525

A to Z letter size taper length. **Dimensions:** 8%" W x 4" D x 1%" H.

EDP #11600

1/16" to 1/2" by 64ths taper length. **Dimensions:** 8¾" W x 4" D x 1¾" H.

EDP #11650

1 to 60 wire gauge taper length. **Dimensions:** 6%" W x 3%" D x 1%" H.

Stub Screw Machine Indexes

EDP #11300

Index for stub screw machine length fractional drills 1/16" to 1/4" by 64ths.

Dimensions: 4" W x 5%" D x 166" H.

EDP #11350

Index for stub screw machine length fractional drills 1/16" to 3/8" by 64ths.

Dimensions: 4" W x 4%" D x %" H.

EDP #11375

For metric stub drills 1 to 13 mm by 0.5 mm. Decimal equivalents and screw information included.

Dimensions: 4" W x 7" D x 1¾" H.

EDP #11400

For stub screw machine letter drills A to Z.

Dimensions: 4" W x 7" D x 1¾" H.

EDP #11450

EDP #11450

Index for stub screw machine length fractional drills, 1/16" to 1/2" by 64ths. Decimal equivalents and U.S.S. tap information included.

Dimensions: 4" W x 7" D x 1¾" H.

EDP #11500

For stub screw machine length drills wire gauge #1 to #60 inclusive, decimal equivalents and screw tap information.

Dimensions: 31/4" W x 41/2" D x 1" H.

EDP #11550

Holds 115 stub screw machine length drills in one case. See the Combination Index section for additional details. For stub drills 1/16" to 1/2" by 64ths, 1 to 60 wire gauge and A to Z letter size.

Dimensions: 13½" W x 4½" D x 2½" H.

Carbide Burr Indexes

Safely separates and holds carbide burrs of all types.

EDP #15030 Holds 8 pieces 1/4" shank. EDP #15035 Holds 10 pieces 1/4" shank.

EDP #15040 Holds 8 pieces 1/8" shank.

Dimensions: 31/4" W x 41/2" D x 1" H.





Tap Indexes

EDP #12575

Holds coarse and fine

| 1/4" - 20 | 1/4" - 28 |
|-----------------------|-------------------|
| 5⁄16" − 18 | 5⁄16" − 24 |
| ³⁄₅" − 16 | 3/8" - 24 |
| ⅓ ₆ " − 14 | 7/16" - 20 |
| ½" – 13 | 1/2" - 20 |

EDP #12550

Holds fine and coarse

| 0 - 80 | 5 – 40 | 5 – 44 | |
|--------|--------|---------|---------|
| 1 – 72 | 1 – 64 | 6 - 32 | 6 - 40 |
| 2 - 56 | 2 – 64 | 8 - 32 | 8 - 36 |
| 3 - 48 | 3 - 56 | 10 – 24 | 10 – 32 |
| 4 - 40 | 4 - 48 | 12 - 24 | 12 – 28 |





EDP #12590

Holds the following 10 U.S. tap sizes:
4-40NC ¼"-20NC
6-32NC ⅙"-18NC
8-32NC ⅓"-16NC
10-24NC ½"-13NC
10-32NF ⅓"-11NC

Or the following 10 metric tap sizes:

| 16 x 2.0 | 5 x .8 |
|-----------|-----------|
| 12 x 1.75 | 4.5 x .75 |
| 10 x 1.5 | 4 x 7 |
| 8 x 1.25 | 3.5 x .6 |
| 6 x1.0 | 3 x .5 |

Dimensions: All models measure $3\frac{1}{4}$ " W x $4\frac{1}{2}$ " D x 1" H.

Tap and Drill Indexes

EDP #12700

Conveniently combines taps with the corresponding tap drill alongside of one another.

- National Fine
- Holds sizes: 6-40 tap #33 drill, 8-36 #29, 10-32 #21, 12-28 #15, ¼"-28 #3, ¾"-24 #1, ¾"-24 #Q, ¾"-20 #2¾4, ½" -20 #2¾4.
- National Coarse
- Holds sizes: 6-32 tap #36 drill, 8-32 #29, 10-24 #25,12-24 #16, ½"-20 #7, ½"-18 #F, ½"-16 #½", ½"-14 #U, ½"-13 #2¾.
- Clips mounted in the cover provide a handy place for securing your T-handle or adjustable tap wrench.

Dimensions: 131/2" W x 41/2" D x 23/4" H.



EDP #12600

- National Coarse
- Holds sizes: 6-32 tap #36 drill, 8-32 #29, 10-24 #25, 10-32 #21, ¼-20 #7, %6-18#F, %-16 #%6, %6-14 #U, ½-13 #2%4

Dimensions: 4" W x 7" D x 11/4" H.

EDP #12650

- National Fine
- Holds sizes: 6-40 tap #33 drill, 8-36 #29, 10-24 #25, 10-32 #21, ¹/₄-28 #3, ⁵/₁₆-24 #I, ³/₆-24 #Q, ⁷/₁₆-20 #²⁵/₆₄, ¹/₂-20 #²⁹/₆₄.

Dimensions: 4" W x 7" D x 11/4" H.

EDP #12675

- I.S.O. 529 1975
- Holds Sizes: 2.5 x 0.45 tap 2.05 drill, 3.0 x 0.50 2.50, 3.5 x 0.60 2.90, 4.0 x 0.70 3.30, 5.0 x 0.80 4.20, 6.0 x 1.00 5.00, 8.00 x 1.25 6.70, 10.0 x 1.50 8.50, 12.0 x 1.75 10.20

Dimensions: 4" W x 7" D x 11/4" H.

Silver Deming

EDP #11980

Conveniently holds 8 most commonly used Silver Deming drills 9/16" to 1" by 64ths. Can be mounted to drill press or work bench. Textured black with sizes in white for easy reading.

Dimensions: 5-5/8" W x 2-5/8" D x 1-1/2" H **Weight:** 1 lb.

EDP #11985

For Silver Deming drills from 1/2" to 1" by 1/16ths held by shank.

Dimensions: 3" W x 5" D x 2" H Weight: 3 lbs.





Carbide Burr Stand

EDP #11875

Holds 24 each, 1/4" shank burrs. Holds up to 24, 1/4" shank burrs. Mounts on wall or drill press for easy accessibility. Made from a single piece of steel.

Dimensions: 5-5/8" W x 2-5/8" D x 1-1/2" H.





Drill Stands, Jobber or Stub Screw

EDP #11850

Letter sizes A to Z inclusive

Dimensions: 55%" W x 25%" D x 11/2" H, 3 lbs.

EDP #11900

Fractional drills $\frac{1}{6}$ " to $\frac{1}{2}$ " by 64ths inclusive. **Dimensions:** 5^{5} %" W x 2^{5} %" D x 1^{1} 2" H, 3 lbs.

EDP #11975

For jobbers and stub or screw machine length from $\frac{1}{2}$ " to 1" by 64ths

"held by flute".

Dimensions: 13" W x 5" D x 2" H, 3 lbs.





Drill Gauges

EDP #12250

For measuring 1/16" to 1/2" by 64ths drill bits.

Dimensions: 6" W x 3" D.

EDP #12260

For measuring #1 to 60 wire gauge

drill bits.

Dimensions: 5½" W x 2" D.



EDP #12280

For measuring drills $\frac{1}{2}$ " to 1" by 64ths.

Dimensions: 13" W x 5" D.

Aerosol Can Rack



EDP #14757

The Can Rack easily mounts just about anywhere. Oils, aerosols, cleaners and "whatever" conveniently within your reach.

Spray Bottle Racks



EDP #14758

Same as #14759 but holds 3 bottles.



EDP #14759

Holds larger (24 oz.) spray bottle and cans with a 3.5" diameter hole. Reduces refill trips by accommodating larger bottles of sprays, liquids and lubricants.

EDP #14760

Same as above but without the Huot logo.



Webbing



- Woven of tough, flexible and stretchable polyethylene.
- Great protection for delicate edges of cutting tools.
- · Doubles/triples storage capacity of any drawer.
- Reusable. Slips on and off easily. Elasticity assures snug fit and non-slip grip.
- Easily cuts to any length.
- Inexpensive protection.

| EDP# | Description | Length |
|-------|---|--------|
| 14025 | For 1/4" to 1/2" or 1/2" to 1" diameter tools | 50' |
| 14026 | For ½" to ½" diameter tools | 100' |
| 14027 | For ½" to 1" diameter tools | 100' |
| 14028 | For 1" to 1½" diameter tools | 50' |
| 14047 | For 1½" to 2" diameter tools | 50' |
| 14048 | For 2" to 2½" diameter tools | 50' |
| 14049 | For 2½" to 3" diameter tools | 50' |
| 14050 | For 3" to 4" diameter tools | 50' |
| 14051 | For 4" to 5" diameter tools | 50' |
| 14052 | For 5" to 6" diameter tools | 50' |
| 14053 | For 6" to 7" diameter tools | 50' |
| 14054 | For 7" to 9" diameter tools | 50' |


Molded Inserts for V-Flange and HSK Toolholders





Toolholder inserts are molded using high impact plastic. The special plastic provides a highly durable material that is resistant to breakage and can withstand the weight of tooling over time without becoming brittle. With toolholder inserts 9615, 9616, 9617 and 9618, tapered tooling easily slips in to the form fitting holder, keeping the tooling safe from marring, nicks or chipping.

| Item | Description | Dim. A | Dim. B |
|------|-------------|--------|--------|
| 9613 | HSK 40A | 1.19" | N/A |
| 9615 | HSK 63A | 1.946" | 1.818" |
| 9616 | HSK 100A | 3.023" | 2.824" |
| 9617 | 40 Taper | 2.023" | 1.252" |
| 9618 | 50 Taper | 3.023" | 2.252" |
| 2266 | R8 | 1.125" | N/A |
| 9601 | 30 Taper | 1.312" | N/A |
| 9603 | 35 Taper | 1.640" | N/A |
| 9606 | 45 Taper | 2.470" | N/A |
| 9624 | CAPTO C4 | N/A | N/A |
| 9625 | CAPTO C5 | N/A | N/A |
| 9626 | CAPTO C6 | N/A | N/A |


Please note that most inserts are not interchangeable. For example, if you have a 40 taper cart and you want to convert it to 30, simply ordering new inserts **will not work**. The hole in the sheet metal would be too large and the insert would drop right through. Please check with the factory before ordering.












KMTM toolholders have two angled holes through the shank called "ball tracks" which act as a clamping mechanism.


| KM™ | | | |
|------|------------|--|--|
| Size | D1 | | |
| 32 | 0.945 (24) | | |
| 40 | 1.181 (30) | | |
| 50 | 1.575 (40) | | |
| 63 | 1.969 (50) | | |
| 80 | 2.52 (64) | | |

KM Registered Trademark Kennametal




ER/RD/DR collets have a single shallow angled taper.

| ER/RD/DR Collets | | | |
|------------------|-------|--------|--|
| Size | D1 | Length | |
| 8 | 0.335 | 0.531 | |
| 11 | 0.435 | 0.709 | |
| 12 | 0.472 | 0.768 | |
| 16 | 0.669 | 1.063 | |
| 20 | 0.827 | 1.22 | |
| 25 | 1.024 | 1.378 | |
| 32 | 1.299 | 1.575 | |
| 40 | 1.614 | 1.811 | |
| 50 | 2.047 | 2.362 | |




VDI toolholders come in many different shapes and sizes. One distinctive feature is the shaft is serrated on one side as shown in the illustration.

| VDI Type | | | |
|----------|------------|--|--|
| Size | D1 | | |
| 25 | 0.983 (25) | | |
| 30 | 1.181 (30) | | |
| 40 | 1.575 (40) | | |
| 50 | 1.969 (50) | | |
| 60 | 2.362 (60) | | |




TG collets, short for tremendous grip, have a single shallow-angled taper similar to ER/RD/DR collets, but the difference between the types can be discerned by comparing dimensions.

| TG Collets | | | | |
|------------|---------|-------|--|--|
| Size | Size D1 | | | |
| TG50 | 0.76 | 1.438 | | |
| TG75 | 1.062 | 1.844 | | |
| TG100 | 1.379 | 2.375 | | |
| TG150 | 2.001 | 3 | | |
| TG200 | 2.671 | 3.25 | | |



C series/3J/R8 collets have a narrow cylindrical body and a short tapered head.

| C Series/3J/R8 Collets | | | | |
|------------------------|---------|-------|--|--|
| Size | Size D1 | | | |
| 5C | 1.250 | 3.281 | | |
| 16C | 1.889 | 4.312 | | |
| 20C | 2.378 | 6.250 | | |
| 25C | 2.930 | 6.480 | | |
| 3J | 2.000 | 3.750 | | |
| R8 | .950 | 4.000 | | |



DA is short for double angle which refers to the two short angles which hold the tool in place.

| DA Collets | | | |
|------------|-------|--------|--|
| Size | D1 | Length | |
| DA100 | 0.769 | 1.44 | |
| DA180 | 1.035 | 1.62 | |
| DA200 | 0.539 | 1.18 | |
| DA300 | 0.375 | 1.08 | |
| DA400 | 1.455 | 2 | |
| DA500 | 2.255 | 2 | |

Information and dimensions provided were compiled from multiple sources including but not limited to the following: "HSK Overview." Guhring The Tool Company. Guhring, Inc., n.d. Web. 31 May 2012. https://www.guhring.com/PS/Toolholders/Overview.htm. • Kennametal. Kennametal Inc., n.d. Web. 31 May 2012. " "Spindle Tooling for Manual and CNC Lathes." Hardinge. Hardinge Inc., 03 May 2010. Web. 31 May 2012. https://www.hardinge.com/usr/pdf/collet/2348F_LR.pdf. • Stovner, Steve. "Machine Tool Shanks (Tapers)." Tools-n-Gizmos, n.d. Web. 31 May 2012.



CNC Toolholder Identification

When type a toolholders have a conical tapered


shank.



When ordering Huot products it is important to determine what type and size toolholder you possess. Compare your toolholder to those illustrated, measure the D1 dimension and

compare that to the dimension charts.
The information and dimensions displayed are for part identification purposes only.
Dimensions shown in (parentheses) are in millimeters, all others are in inches.







CAPTOTM including C4, C5, C6, and C8 are distinctively known for their tapered polygon shape as shown.

CAPTO Registered Trademark Sandvik Corp.

| CAPTO | | | |
|-------|------|--|--|
| Size | D1 | | |
| C3 | (22) | | |
| C4 | (28) | | |
| C5 | (35) | | |
| C6 | (44) | | |
| C8 | (55) | | |





HSK's have a short hollow taper and we have identified 6 different styles.

| HSK Style | | | | | | |
|-----------|-------------|------------|------------|------------|------------|------------|
| Size | HSK A | HSK B | HSK C | HSK D | HSK E | HSK F |
| 25 | N/A | N/A | N/A | N/A | 0.748 (19) | N/A |
| 30 | N/A | N/A | N/A | N/A | N/A | N/A |
| 32 | 0.945 (24) | N/A | 0.945 (24) | N/A | 0.945 (24) | N/A |
| 35 | N/A | N/A | N/A | N/A | N/A | N/A |
| 40 | 1.181 (30) | 0.945 (24) | 1.181 (30) | 0.945 (24) | 1.181 (30) | N/A |
| 45 | N/A | N/A | N/A | N/A | N/A | N/A |
| 50 | 1.496 (38) | 1.181 (30) | 1.496 (38) | 1.181 (30) | 1.496 (38) | 1.181 (30) |
| 60 | N/A | N/A | N/A | N/A | N/A | N/A |
| 63 | 1.89 (48) | 1.496 (38) | 1.89 (48) | 1.496 (38) | 1.89 (48) | 1.496 (38) |
| 80 | 2.362 (60) | 1.89 (48) | 2.362 (60) | 1.89 (48) | N/A | N/A |
| 100 | 2.952 (75) | 2.362 (60) | 2.952 (75) | 2.362 (60) | N/A | N/A |
| 125 | 3.740 (95) | 2.952 (75) | N/A | N/A | N/A | N/A |
| 160 | 4.724 (120) | 3.740 (95) | N/A | N/A | N/A | N/A |

See website for more sizes.

Find us on Facebook

Huot Manufacturing Company

550 North Wheeler Street St. Paul, Minnesota 55104-1788

Phone (651) 646-1869 Order Desk (800) 832-3838 Fax (651) 646-0457 Email: huotmfg@huot.com www.huot.com Industrial Code: 697764 DUNS 00-614-7227 UPC #33603 Tax ID #41-0653132 SIC #3469

©2014 Huot Mfg. Co.

Distributed By:

Form # 60664