*since 1926* 

Huote





## **CUTTING TOOL STORAGE**

FOR DRILLS, TAPS, END MILLS, REAMERS, TOOLHOLDERS, COLLETS & MORE

### Since 1926, a commitment to you, our customer.

Nearly a century ago, Gene Huot (pronounced "Hewitt") invented and marketed the Drill Index, a method of storing and organizing often used drill bits, making their use quicker and more efficient. This simple but significant industry breakthrough has withstood the test of time.

Since the introduction of the index, Huot has increased its product offering to include similar products for storing all types of cutting tools used in a shop or production environment. As technology changed and tooling changed with it, Huot answered the call by designing and building storage and organization solutions for just about every type of tool being used by precision metal workers every day.

The products in this catalog are designed to make your shop environment more organized, efficient, clean, and ultimately, more profitable. Efficiency leads to cost savings, and time is money in a production operation. Each of our products is quality made to the highest standards of excellence, built with American pride. Only in this way can we earn your complete satisfaction and maintain your continued trust in our products. Thank you for taking the time to explore our storage solutions; we'd be honored to be a part of your operation's success.

Huot Manufacturing, we're family owned and American made.

#### **5S Initiatives** – What are they and why use them?

We've all heard the term "5S", but what is it and how does it work? In an effort to be more competitive globally, in the 1960's a Japanese company developed 5S methods to cut costs, increase efficiency, quality and profitability. Expanding on lean initiatives, this benchmark for quality programs is used by companies around the world. These simple ideas were developed for manufacturing purposes but can improve efficiency anywhere you apply them. Here are the 5S words and their meanings:

**SORT** – Determine what is needed for an area and remove what isn't.

**SET** (in order) – Designate a place for everything in the area, and keep it there when not in use.

**SHINE** – Always keep the area clean and organized.

**STANDARDIZE** – Make all similar areas visually the same with efficiency and organization in mind.

**SUSTAIN** – Ensure initiatives are being followed being followed at all times.

Other "S's" were Safety and Security, but the developers wanted to keep it simple so they kept it at 5. After Covid, we though Sanitize would be another good "S", so we developed products that will help you meet your 5, 6, 7, and even 8S initiatives. *If you are thinking 5S, think Huot.* 

Cuttings tools, wrenches and toolholders shown throughout this catalog are for pictorial use only and are not included with any Huot products.

#### **SCOOTS** SAFETY COVERS 3 COLLETS ER/RD/DA/DR/TG Racks ...... 11-14, 19, 20 Swiss Collet Racks ......11-14, 15, 19, 20 FRAMEWORK for existing tables ......16 **TOWERS** SuperTower ......17 **WALL MOUNTABLE** Machine or Wall Mount Racks ...... 14, 21, 22 **BENCH TOP LOCKERS** Tall Locker & Wall Locker.....14 **DRILL DISPENSERS** Wire ...... 24, 27, 28 SUPER CABINET, SUPER CHEST ......31 **INDEXES & STANDS**



- The "Original" toolholder cart
- Constructed of 16 gauge steel for normal use
- Swivel and locking casters rated for 1000 lbs
- Molded inserts hold toolholders and protect tapers
- Angled lower shelf provides easy access from both sides
- Lower shelf has multiple height adjustments
- End trays can be mounted on either side, or both sides on top
- Steel finished in a baked on, durable, red & black powder coating
- Requires assembly



EDP#	<b>Description</b> 18" W x 35.25" L x 35" H, 75 lbs	Capacity
13930	BT, CAT, NMTB 30 taper	48
13940	BT, CAT, NMTB 40 taper	48
13949	HSK 40A, 40C, 40E and KM40 tapers	48
13950	BT, CAT, NMTB 50 taper	36
13955	16C collets	100
13960	5C collets	96
13965	R8 collets or #4 Morse Taper	96
13970	HSK 63A taper	48
13980	HSK 100A taper	36
13984	CAPTO® C4 taper	48
13985	CAPTO® C5 taper	48
13986	CAPTO® C6 taper	48

CAPTO® is a registered trademark of Sandvik AB



Scan for YouTube video



#### **Safety Covers**

- Protects operator from injuries and allows for tool visibility
- · Keeps tools safe and clean during storage
- Covers held in place with twist in key hold slots molded into base
- Shoulder bolts for mounting covers included
- Dry markers can be used for labeling tools or jobs
- Proprietary to Huot red shelves



Scan for YouTube video



EDI	P#	<b>Description</b> 14" H, 0.5 lbs	Dimensions
140	01	Clear - 30, 40, HSK 63A, HSK 40A, C4, C5, C6 tapers	Base inside dimension is 3.150", at the top 2.500", height is 13.375"
140	)16	Clear - 50 or HSK 100A tapers	Base inside dimension is 4.375", at the top 2.750", height is 14.000"

#### **Toolholder Vises**

#### **Toolholder Vises**

- Mounts vertically or horizontally
- Handle locks tool for access to pull stud or collet simultaneously
- Durable aluminum construction
- Pre-drilled mounting holes
- Use fasteners with a 3/8-16 thread at least 1.25" long to fasten vises to a Huot Workstation
- Great value price point
- Measures 6" L x 4½" W x 5½" H

EDP#	<b>Description</b> 3.5 lbs
50523	CAT 30
50524	BT 30
50525	CAT 40
50526	BT 40
50527	CAT 50
50528	BT 50
50563	HSK 63A, 63F, KM 63





- Taller chassis sides provide for 3 shelves
- 33% more storage capacity within a Toolscoot footprint
- Multiple tapers and collet shelves available
- Mix and match tapers and collets on a single Scoot
- TriScoot chassis is the basis for custom Scoots (see below)
- Chassis provides for 7 different shelf mounting positions
- Requires assembly



EDP#	<b>Description</b> 18" W x 20.25" L x 41" H, 75 lbs	Cap.
13309	BT, CAT, NMTB 30 taper	72
13409	BT, CAT, NMTB 40 taper	72
13509	BT, CAT, NMTB 50 taper	54
13773	CAPTO® C3 taper	72
13774	CAPTO® C4 taper	72
13775	CAPTO® C5 taper	72
13776	CAPTO® C6 taper	72
13778	CAPTO® C8 taper	54
13916	3J collets	72
13962	HSK 100A taper	54
13963	KM63 or HSK63A taper	72
13964	HSK 40A taper	72
13968	HSK 63F taper	72
13993	#30 VDI taper	72
13994	#40 VDI taper	72
14865	Optional Side Tray	N/A
77332	32MM Quick Change collets	54
77342	42MM Quick Change collets	54
77352	52MM Quick Change collets	54
77365	65MM Quick Change collets	45
77380	80MM Quick Change collets	39
77399	100MM Quick Change collets	30


#### **Custom Scoot**

Have a unique taper machine or some oddball tooling that won't fit in our molded inserts? We can build a custom scoot based on the TriScoot chassis above. Instead of using a molded insert to hold the tools, we will machine an unbreakable High Density Poly Ethylene (HDPE) top that will act as an insert to protect the tools while the typical hole pattern in the steel shelf will support the weight underneath. The holes will be custom milled to match the D1 dimension of your tools (see diagram) for a snug, secure fit. Just provide the D1 dimension of the tool and we will take it from there. We build these all day, every day, for unique tapers and collets. Call or email us today for more information, and we will build one for you too.

**EDP #13914** 24 holes per shelf, 21/4" maximum D1 dimension, total capacity of 72

**EDP #13915** 18 holes per shelf, 31/4" maximum D1 dimension, total capacity of 54

Call for anything larger than a 31/4" D1 dimension





EDP #13915



#### **SecurityScoot**

- Lockable polycarbonate doors keep tools clean and secure
- Doors are keyed alike for easy operation
- Clear panels allow for easy tool identification
- Two full toolholder shelves provide good capacity
- Upper and lower cam locks keep doors securely closed
- · Magnets hold doors closed when unlocked
- Full length piano style hinges on all doors
- Adjustable positions for mounting shelves
- · Ideal for pre-set jobs waiting to be loaded
- · Keeps tools clean in a dirty shop environment
- Full assembly is required

EDP#	<b>Description</b> 41" H x 35" W x 20" D, 130 lbs	Capacity
16930	BT, CAT, NMTB 30 taper	48
16940	BT, CAT, NMTB 40 taper	48
16950	BT, CAT, NMTB 50 taper	36
16964	HSK 40A, 40C, 40E and KM40 tapers	48
16970	HSK 63A taper	48
16980	HSK 100A taper	36
16984	CAPTO® C4 taper	48
16985	CAPTO® C5 taper	48
16986	CAPTO® C6 taper	48
16988	CAPTO® C8 taper	36



#### **ShieldScoot**



- No toolholders with exposed sharp tools on top
- Access toolholders through open top doors and/or from the sides
- Top doors open on full length hinges front and rear
- Top doors open one or both at a time
- Flat shelves keep tools within chassis
- Two full shelves provide good capacity
- Safety covers can also be used on shelves for added protection
- · Compliant in shop safety initiatives
- · Keeps tools safer and cleaner
- · Requires assembly

EDP#	<b>Description</b> 42.75" H x 27.5" W x 18.5" D, 82 lbs	Capacity
14930	BT, CAT, NMTB 30 taper	48
14940	BT, CAT, NMTB 40 taper	48
14950	BT, CAT, NMTB 50 taper	36
14964	HSK 40A, 40C, 40E and KM40 tapers	48
14970	HSK63A taper	48
14980	HSK100A taper	36
14984	CAPTO® C4 taper	48
14985	CAPTO® C5 taper	48
14986	CAPTO® C6 taper	48
14988	CAPTO® C8 taper	36

CAPTO® is a registered trademark of Sandvik AB



#### ToolScoot™ Ltd

EDP#	<b>Description</b> 41" W x 35.25 H x 18" D	Capacity
13630	BT, CAT, NMTB 30 taper	24
13640	BT, CAT, NMTB 40 taper	24
13655	BT, CAT, NMTB 50 taper	18
13664	HSK 40A, 40C, 40E & KM40 tapers	24
13670	HSK 63A taper	24
13680	HSK 100A taper	18
13684	CAPTO® C4 taper	24
13685	CAPTO® C5 taper	24
13686	CAPTO® C6 taper	24
13688	CAPTO® C8 taper	18



Interior view of top drawer

 Toolholder top shelf available in most popular tapers

 2" drawer has welded columns & adjustable dividers

 Open 6" drawer has dual slides for larger weight capacity

 Welded chassis adds strength and rigidity

 Side tray holds Huot collet racks, or miscellaneous tools

• Ideal for special ops applications

 Minimal assembly required, bolt on casters

Ships LTL only



#### **SpeedyScoot**

- At only 15" wide, the SpeedyScoot was designed for small shops with narrow aisles and tight corners between machines
- · Available in all popular tapers
- Optional second shelf available, see below

EDP #33940

- Often used in tool rooms to preset small jobs in a dedicated scoot for a job or machine
- Rugged steel construction, heavy duty
   4" caster rated for 1000 lbs
- Multiple middle shelf options, recommended for productivity and stability
- Requires assembly

EDP#	V-Flange & HSK SpeedyScoot 15" W x 30" L x 35" H, 52 lbs	Capacity
33930	BT, CAT, NMTB 30 taper	241
33940	BT, CAT, NMTB 40 taper	24 <sup>1</sup>
33944	CAPTO® C4 taper	24 <sup>1</sup>
33945	CAPTO® C5 taper	24 <sup>1</sup>
33946	CAPTO® C6 taper	24 <sup>1</sup>
33950	BT, CAT, NMTB 50 taper	15¹
33964	HSK 40A, 40C, 40E and KM40 tapers	24 <sup>1</sup>
33970	HSK 63A taper	24 <sup>1</sup>
33980	HSK 100A taper	15¹
1. Double too	ling capacity with optional second shelf (see below).	

#### **SpeedyScoot Middle Shelf Options**

EDP#	SpeedyScoot Accessories 15" W x 30" L, 6 lbs	Capacity
14130	BT, CAT, NMTB 30 taper	24
14134	CAPTO® C4 taper	24
14135	CAPTO® C5 taper	24
14136	CAPTO® C6 taper	24
14164	HSK 40A, 40C, 40E and KM40 tapers	24
14170	BT, CAT, NMTB 40 taper	24
14175	BT, CAT, NMTB 50 taper	15
14180	HSK 63A taper	24
14185	HSK 100A taper	15
14190	2nd shelf flat storage	N/A





#### **SuperScoot**™



- Constructed of heavy duty 12 gauge steel for rugged use
- Ideal for larger size tapers
- Casters load rated to 1600 lbs
- Maximized storage per square foot for larger capacities
- Outrigger design for added stability
- Shelves present tools at a 13° angle
- Gold vein powder coated finish
- Assembly required





Scan for YouTube video

EDP#	<b>Description</b> 45.25" W x 17.5" D x 40" H, 132 lbs (width includes handle & tray)	Capacity
23940	BT, CAT, NMTB 40 taper	90
23950	BT, CAT, NMTB 50 taper	52
23964	HSK 40A, 40C, 40E and KM40 tapers	90
23970	HSK 63A taper	90
23980	HSK 100A taper	52
23984	CAPTO® C4 taper	90
23985	CAPTO® C5 taper	90
23986	CAPTO® C6 taper	90

#### **UltraScoot II**

• An UltraScoot cut in half

**Proudly made** in the USA

- For larger toolholders & capacities
- 12 gauge steel construction
- Lower shelf deep in chassis best for storing long gage tools in toolholders
- Shelves can be mounted in 11 positions in chassis
- Sturdy MIG welded fame
- Outrigger design for added stability
- UltraScoot casters load rated to 4800 lbs
- Side tray and handle
- Minimal assembly required, bolt on casters
- Ships LTL only

EDP#	<b>Description</b> 45" W x 42" H x 26" D, 127 lbs	Capacity
99740	BT, CAT, NMTB 40 taper	88
99750	BT, CAT, NMTB 50 taper	60
99760	BT, CAT, NMTB 60 taper	32
99764	HSK 40A, 40C, 40E and KM40 tapers	88
99770	HSK 63A taper	88
99780	HSK 100A taper	60
99725	HSK 125A taper	48
99784	CAPTO® C4 taper	88
99785	CAPTO® C5 taper	88
99786	CAPTO® C6 taper	88
99788	CAPTO® C8 taper	60

99788 | CAPTO® C8 taper

CAPTO® is a registered trademark of Sandvik AB









Scan for additional details



- Primarily designed for CAT 60 or HSK 125A tapers
- Can be configured for smaller tapers too; see huge capacity figures in chart
- Small and large taper shelves can be configured together
- Made from heavy duty 12 gauge cold rolled steel
- MIG welded chassis for ultimate strength and durability
- Shelves have 11 mounting positions per side
- Six caster configuration load rated to 7200 lbs
- Outrigger chassis design for added stability
- Often used for bi-annual machine maintenance empty machine's carousel into a single Scoot
- · Minimal assembly required, bolt on casters
- Ships LTL only

EDP#	<b>Description</b> 75.25" W x 42.25" H x 29.75" D, 254 lbs (Width includes handle & tray. Ships LTL.)	Capacity
99940	BT, CAT, NMTB 40 taper	176
99950	BT, CAT, NMTB 50 taper	120
99960	CAT 60 taper	64
99964	HSK 40A, 40C, 40E and KM40 tapers	176
99970	HSK 63A tapers	176
99980	HSK 100A taper	120
99125	HSK 125A taper	96
99984	CAPTO® C4 taper	176
99985	CAPTO® C5 taper	176
99986	CAPTO® C6 taper	176
99988	CAPTO® C8 taper	120
EDP#	Accessories	
14899	Extra side shelf (1 is included)	





 ${\tt CAPTO} @$  is a registered trademark of Sandvik AB



#### EDP #77300

- Unique specifically designed for turning operations
- Deep, sturdy, removable and dividable bins organize set up tools on top
- Top 2" drawer utilizes welded columns/dividers for tool organization
- Dual slide, deep large 6" drawer, ideal for live tooling heads and larger tools
- · Welded chassis adds strength and rigidity
- Large open area on bottom for 3 jaw chucks or collet chucks
- · Huot collet racks fit handily into side tray
- . Live/Dead center shelf on the bottom in 3MT & 4MT
- Dimensions: 41" L x 351/4" H x 18" D
- Minimal assembly required, bolt on casters



#### The only Scoot designed specifically with lathe tooling in mind

Have the same job come into your shop repeatedly? Buy extra bins (EDP # 33166), and use our divider kit (77030) to create customizable compartments, then prepare the tools for the job in the bins. Store the bins somewhere handy and when that job comes in, simply remove the existing ones, drop the pre tooled ones into place, wheel the Scoot over to the machine and you're making parts! Reduce set up time dramatically. Alkro-Mils sells a snap on lid for the bin (33601) to keep things clean, secure and identifiable.







#### **UtilityScoot**

# EDP #16800

#### EDP #16800

- Cold rolled steel construction for long lasting performance
- Replace crumbling resin carts
- Made with the same quality you would expect from Huot ToolScoots™
- Tub depth of trays is 21/4"
- Adjustable lower shelf positions
- Locking and swivel casters
- 1000 lbs weight capacity
- Dimensions: 271/4" L x 321/4" H x 181/4" D
- · Assembly required







#### **What is the Tree Family of Shelves?**

Our popular ToolScoot™ Tree offers great storage capacity and versatility. You will find other products in this catalog that use the "Tree Family of Shelves." What is the "Tree Family of Shelves?" The ToolScoot™ Tree chassis has two long columns of slots along the length of the chassis (yellow arrows). The Tree shelves fit into slots at different heights on the chassis, according to where the user desires the shelf to be.

The angled shelf presents the tools nicely and creates a sight line from across the shop to help identify what is in the shelves. Huot Manufacturing uses the Tree Family of Shelves in several other products creating a modular system that allows you to use whatever types of tools you are storing anywhere you need them - at one machine, at a different machine, in the Tool Crib, wherever those tools are needed.









The bottom 2 tabs mount the shelves at a -20° angle



#### Other Huot Products that use the Tree Family of Shelves







Wall Locker (page 14)



Wall Tree Mount (page 14)



Worktable Framework (page 16)



Workstation Back Rack (page 15)



#### **ToolScoot™ Trees & the Tree Family of Shelves**

Available Tree Family Shelves, custom shelves also available

EDP#	Description	Capacity
55100	Tool Storage Box, no Dividers	N/A
55105	Tool Storage Box, with Dividers	N/A
55110	Utility Shelf	N/A
55114	18 Hole Custom Shelf	18
55115	10 Hole Custom Shelf	10
55140	BT, CAT, NMTB 40 taper	18
55150	BT, CAT, NMTB 50 taper	10
55155	16C collets	36
55164	HSK 40A taper	18
55170	HSK 63A taper	18
55173	R8 collets	50
55174	5C collets	50
55176	HSK 63F taper	18
55180	HSK 100A taper	10
55183	CAPTO® C3 taper	18
55184	CAPTO® C4 taper	18
55185	CAPTO® C5 taper	18
55186	CAPTO® C6 taper	18
55188	CAPTO® C8 taper	10
55193	VDI 30 taper	18
55194	VDI 40 taper	18
55232	32MM Quick Change collets	17
55242	42MM Quick Change collets	17
55252	52MM Quick Change collets	17
55265	65MM Quick Change collets	12
55280	80MM Quick Change collets	8
55299	100MM Quick Change collets	6





**Collet Shelf** 









**Quick Change Collet Shelf** 

Large ER and Swiss Collet Racks in Utility Shelf



Standard ER Collet Racks in Utility Shelf



- Slotted uprights provide 35 possible shelf locations on each side of cart (70 total)
- Welded 14 gauge unibody chassis with see through design
- Includes 6 shelves 5 for toolholders and 1 for utility
- Other shelf configurations available
- Molded inserts protect and securely hold toolholders
- Every 5th slot marked for easy shelf positioning
- Shelves can be positioned flat or at a -20° angle
- 16 gauge steel shelves for strength and rugged durability
- Casters are load rated to 1,600 pounds
- Heavy duty 5" casters two swivel with brakes and two stationary

EDP#	<b>Description</b> 28.5" W x 57" H x 28" D, 135 lbs	Cap.
55930	BT, CAT, NMTB 30 taper	90
55940	BT, CAT, NMTB 40 taper	90
55950	BT, CAT, NMTB 50 taper	50
55964	HSK 40A, 40C, 40E and KM40 tapers	90
55970	HSK 63A taper	90
55980	HSK 100A taper	50
55984	CAPTO® C4 taper	90
55985	CAPTO® C5 taper	90
55986	CAPTO® C6 taper	90
55988	CAPTO® C8 taper	50

 ${\tt CAPTO} @$  is a registered trademark of Sandvik AB





Scan for YouTube video





Utility shelf comes standard with each Tree. We have created large ER and Swiss collet racks designed to fit perfectly in this shelf. Please see page 20 for details.





EDP# **Description** 28.5" W x 69" H x 28" D, 149 lbs **Capacity** 90 BT, CAT, NMTB 30 taper 55330 BT, CAT, NMTB 40 taper 90 55340 55350 BT, CAT, NMTB 50 taper 50 HSK 40A, 40C, 40E and KM40 tapers 90 55364 90 HSK 63A taper 55370 HSK 100A taper 50 55380 CAPTO® C4 taper 90 55384 CAPTO® C5 taper 90 55385 CAPTO® C6 taper 90 55386 CAPTO® C8 taper 50 55388

 ${\tt CAPTO} @$  is a registered trademark of Sandvik AB

- Tall chassis is 12" taller than standard chassis
- Ergonomics, the user chooses comfortable shelf heights
- The tallest tree-type tool storage on the market
- · Six shelves are included
- Greater capacity in the same footprint
- Increased spacing between shelves
- Tall chassis height ideal for bringing toolholders to machines with mezzanines



Both chassis sizes have built in peg board for hanging hand tools or accessories




Slotted chassis provides easy storage for spanner wrenches





#### **Tall Locker, Wall Locker, Wall Tree**





- Unit stands over 6' tall and comes with 5 toolholder shelves
- Uses the Tree family of shelves for toolholders and collets
- Doors have full length hat channels for strength and stability
- Throw bar and lock keeps door closed tight
- Finished in baked on powder coat for lasting durability

EDP#	<b>Description</b> 34.25" W x 16.125" D x 74" H, 210 lbs	Cap.
55631	BT, CAT, NMTB 30 taper	90
55641	BT, CAT, NMTB 40 taper	90
55651	BT, CAT, NMTB 50 taper	50
55664	HSK 40A, 40C, 40E and KM40 tapers	90
55671	HSK 63A taper	90
55681	HSK 100A taper	50
55684	CAPTO® C4 taper	90
55685	CAPTO® C5 taper	90
55686	CAPTO® C6 taper	90




- Same features as the Tall Locker but only 461/2" high
- Designed to mount on a wall or can be used on a bench top
- Ideal for collet storage in a tool crib or machine cell

EDP#	<b>Description</b> 31.25" W x 15.75" D x 46.5" H, 110 lbs	Cap.
55731	BT, CAT, NMTB 30 taper	54
55741	BT, CAT, NMTB 40 taper	54
55751	BT, CAT, NMTB 50 taper	30
55764	HSK 40A, 40C, 40E and KM40 tapers	54
55771	HSK 63A taper	54
55781	HSK 100A taper	30
55784	CAPTO® C4 taper	54
55785	CAPTO® C5 taper	54
55786	CAPTO® C6 taper	54

- Base mounts directly to wall in tool crib, cell, or anywhere toolholders are needed
- Uses the Tree family of shelves
- Open design allows easy identification and access to tools
- Shelves can be mixed and matched for toolholders and collets


EDP#	<b>Description</b> 28.5" W x 36" H x 14" D, 55 lbs	Cap.
55730	BT, CAT, NMTB 30 taper	54
55740	BT, CAT, NMTB 40 taper	54
55750	BT, CAT, NMTB 50 taper	30
55763	HSK 40A, 40C, 40E and KM40 tapers	54
55770	HSK 63A taper	54
55780	HSK 100A taper	30
55790	CAPTO® C4 taper	54
55791	CAPTO® C5 taper	54
55792	CAPTO® C6 taper	54
55797	CAPTO® C8 taper	30





- Durable hardwood butcher block top with plenty of work space
- Top 2 drawers utilize welded columns with dividers every 1" for customizing storage and organization (see inset photo)
- Larger 4" drawer is open for larger tools & miscellaneous items
- Bottom tooling drawer holds up to 30 toolholders depending on taper size
- Cabinet has threaded holes on both sides for mounting a Huot tool changing vise\* horizontally or vertically (shown)
- Use fasteners with a 3/8-16 thread at least 1.25" long to fasten vises to a Huot Workstation
- Locking doors protect against chips & debris and keep valuable tools secure
- All drawers use full extension ball bearing slides
- · Cabinet pockets allow for movement with a forklift

EDP#	<b>Description</b> 34" L x 22.75" W x 39" H, 285 lbs	Capacity
77230	BT, CAT, NMTB 30 taper	30
77240	BT, CAT, NMTB 40 taper	30
77250	BT, CAT, NMTB 50 taper	18
77264	HSK 40A, 40C, 40E and KM40 tapers	30
77270	HSK 63A taper	30
77280	HSK 100A taper	18
79332	32MM Quick Change collets	30
79342	42MM Quick Change collets	30
79352	52MM Quick Change collets	30
79365	65MM Quick Change collets	16
79380	80MM Quick Change collets	16
79399	100MM Quick Change collets	11
79624	CAPTO® C4 taper	30
79625	CAPTO® C5 taper	30
79626	CAPTO® C6 taper	30
79628	CAPTO® C8 taper	30




#### **EDP #77277 Work-Surface Extension**

- Bolts to either or both ends of the Workstation, doubling or tripling work surface
- Thick wood top makes it an ideal base for a presetter or shrink fit system
- Lower shelf can be mounted in multiple positions for a CPU or chiller
- Plenty of open space for cables and hoses
- Measures 17¾" x 33"



EDP #77240

\*Vise sold separately



Interior view of top 2 drawers



Scan for YouTube video





#### **Workstation Back Rack**



#### **EDP #79231 Workstation Back Rack**

- Two piece easy install with included hardware
- Made of rugged 24 guage steel
- 24 shelf position slots per side
- Uses shelves from the Huot Tree Family
- Shelves mount flat or at a -20° angle
- Back lip helps prevent part roll off
- Retains use of tool vises on either side
- Dimensions: 341/4" W x 401/2" H



#### **Worktable Framework**

- Framework bolts through existing 6 ft wood table top
- . Mounting and assembly instructions included
- Framework uses the Tree family of shelves
- Allows for toolholders and collets be stored off table top surface
- · Clearboard allows for hanging tools or fixtures
- Frequently used tools can be shadowed on Clearboard
- Ideal for preventing Foreign Object Debris (FOD) damage
- · Clearboard allows for better lighting and visibility
- All pieces sold separately
- Multiple shelf height positions
- Measures 56" W x 35" H
- · Assembly required










Shown with optional Clearboard and shelves from the Tree family of shelves



Bolts to your existing 6' table

EDP #78230

#### **Workstation/Super Cabinet Side Panel Pegboard**



- 14 gauge steel construction
- Scratch resistant powder paint
- Mounts on either side or rear of cabinet
- · Easy installation, done in minutes
- Beveled sides provide sight lines of panel
- Increases product efficiency and use
- Does not affect drawer operation
- Perfect for 5S initiatives
- Economically priced, great value
- Dimensions: 18" W x 34" D x 30" H



#### **ToolTower**



- ToolTowers come standard with 3 shelves
- Sturdy 16 ga. steel construction
- Adjustable shelf positions
- Can be stacked to double storage in same footprint
- Stacking kit makes stacking quick, safe and easy
- Molded inserts hold and protect toolholders
- Optional clear doors keep tools clean and secure
- Upper and lower door cam locks keep doors closed tight
- Full length piano style hinges on both doors
- Assembly required



Stacked Tower shown with available EDP #50520 doors

EDP#	Accessories	Weight
14860	Stacking Kit - stack two ToolTowers together	7 lbs
14865	ToolTower Tray	8 lbs
50520	ToolTower Door Set, two required	18 lbs

EDP#	<b>Description</b> 27.3125" W x 18.3125" D x 36" H, 65 lbs	Capacity
13830	BT, CAT, NMTB 30 taper	72
13840	BT, CAT, NMTB 40 taper	72
13850	BT, CAT, NMTB 50 taper	54
13858	20C collets	72
13860	5C collets	150
13864	HSK 40A, 40C, 40E, KM40 tapers	72
13865	R8 or #4 Morse Taper	150
13870	HSK 63A taper	72
13880	HSK 100A taper	54
13884	CAPTO® C4 taper	72
13885	CAPTO® C5 taper	72
13886	CAPTO® C6 taper	72
13888	CAPTO® C8 taper	54
13890	16C collets	150
13893	#30 VDI taper	72
13894	#40 VDI taper	72
77132	32MM Quick Change collets	54
77142	42MM Quick Change collets	54
77152	52MM Quick Change collets	54
77165	65MM Quick Change collets	45
77180	80MM Quick Change collets	39
77199	100MM Quick Change collets	30
13844	All flat shelves, no holes	N/A

CAPTO® is a registered trademark of Sandvik AB

#### **SuperTower**

- SuperTowers come standard with 3 shelves
- Constructed of heavy duty 12 gauge steel
- · Stackable for doubling storage within same footprint
- Ideal for larger size tapers
- Maximized storage per square foot for larger capacities
- Shelves present tools at a 13° angle
- · Gold vein powder coated finish
- Efficient solution for large tool cribs with sizeable storage needs

EDP#	<b>Descripion</b> 33.75" W x 17.5" D x 33.5" H, 95 lbs	Capacity
23830	BT, CAT, NMTB 30 taper	135
23840	BT, CAT, NMTB 40 taper	135
23850	BT, CAT, NMTB 50 taper	78
23864	HSK 40A, 40C, 40E and KM40 tapers	135
23870	HSK 63A taper	135
23880	HSK 100A taper	78
23884	CAPTO® C4 taper	135
23885	CAPTO® C5 taper	135
23886	CAPTO® C6 taper	135
EDP#	Accessories	Weight
24860	Stacking Kit - stack 2 SuperTowers together	10 lbs



- Tower is stackable two high to expand your storage area (see illustration)
- · Assembly required

CAPTO® is a registered trademark of Sandvik AB




- Constructed of 16 gauge steel
- Casters on Scoot provide portability
- Mix and match sizes on scoot
- Platform displays collets on a 13° angle
- For all quick change collet sizes
- Tree family shelves available





EDP#	<b>Description</b> 27.25" x 20.25" x 11" H at the rear	Cap.
14332	32MM Quick Change Collet Angled Platform	18
14342	42MM Quick Change Collet Angled Platform	18
14352	52MM Quick Change Collet Angled Platform	18
14365	65MM Quick Change Collet Angled Platform	15
14380	80MM Quick Change Collet Angled Platform	13
14399	100MM Quick Change Collet Angled Platform	10
EDP#	Tree Shelf Description	Cap.
<b>EDP</b> # 55232	Tree Shelf Description 32MM Quick Change Collet Tree Shelf	<b>Cap.</b> 17
	•	-
55232	32MM Quick Change Collet Tree Shelf	17
55232 55242	32MM Quick Change Collet Tree Shelf 42MM Quick Change Collet Tree Shelf	17 17
55232 55242 55252	32MM Quick Change Collet Tree Shelf 42MM Quick Change Collet Tree Shelf 52MM Quick Change Collet Tree Shelf	17 17 17






EDP#	TriScoot Description 41" x 24.25" x 18"	Cap.
77332	32MM Quick Change Collet TriScoot	54
77342	42MM Quick Change Collet TriScoot	54
77352	52MM Quick Change Collet TriScoot	54
77365	65MM Quick Change Collet TriScoot	45
77380	80MM Quick Change Collet TriScoot	39
77399	100MM Quick Change Collet TriScoot	30











#### **More Collet Storage Solutions**

**Tall Locker with Quick Change Collets** 



Tall Locker with ER/Swiss Collets



Wall Locker with Quick Change Collets



**ToolScoot Tree with Quick Change Collets** 



**ToolScoot Tree with ER collets** 



**ToolScoot Tree with Swiss Collets** 



#### Standard Collet Racks for ER/RD/DR/DA/TG



- Made of 14 gauge steel finished in epoxy, powder paint
- · Physically small racks with good capacity
- For almost any size of collets
- For table tops, drawers, Scoot side trays or Huot Tree Utility shelves

EDP#	<b>Description</b> 7.21875" W x 9.125" D x 1.375" H	Hole Size	Capacity
14800	Holds 11 Series Collets ER/RD/DR.	27/64"	49
14801	Holds 16 Series ER/RD/DR	39/64"	49
14802	Holds 20 Series ER/RD/DR	49/64"	36
14810	Holds DA300 Collets	5/16"	49
14811	Holds DA200 Collets	15/32"	49
14813	Holds DA100 Collets	43/64"	36
EDP#	<b>Description</b> 17" W x 9-1/8" D x 2" H	Hole Size	Capacity
14803	Holds 25 Series Collets ER/RD/DR	61/64"	48
14804	Holds 32 Series Collets ER/RD/DR	1-13/64"	40
14805	Holds 40 Series ER/RD/DR	1-1/2"	27
14806	Holds 50 Series Collets ER/RD/DR	2"	21
14812	Holds DA180 Collets	29/32"	48
14820	Holds TG75 Collets	1-1/32"	40
14821	Holds TG100 Collets	1-5/16"	27
14822	Holds TG150 Collets	1-59/64"	21

#### **Large Collet Racks for ER/RD/DR/DA/TG**



EDP#	<b>Description</b> 26-17/32" W x 11-17/32" D x 2" H	<b>Hole Size</b>	Capacity
14816	ER16, 1" x 1" spacing	39/64"	260
14817	ER20, 1-3/16" x 1-1/4" spacing	49/64"	176
14818	ER25, 1-3/8" x 1-5/8" spacing	61/64"	114
14819	ER32, 1-21/32" x 1-3/4" spacing	1-13/64"	90
14827	TG100, 1-7/8" x 2" spacing	1-5/16"	70

- Made of 14 gauge steel finished in epoxy powder paint
- Large capacity for the same series of collets
- . Designed to fit in Tree Utility shelves

#### **Swiss Collet Racks**

- For collets, guides, bushings and sleeves typically used in Swiss applications
- · Based on our ER collet rack designs
- For every machine type or brand
- Racks use 10 different fixed hold sizes
- Large capacity depending on diameter
- Tall enough at 4" to hold most collets or bushings
- Designed to fit in the Huot Tree Utility Shelf

.604" Hole Size

.770" Hole Size

.854" Hole Size


.948" Hole Size

1.075" Hole Size

• Made of 14 gauge steel finished in epoxy powder paint

**Description** 26.5" W x 11" D x 4" H 12 lbs





114

102

	DP #14656	
		1
EDP#	<b>Description</b> 26.5" W x 11" D x 4" H 12 lbs	Capacity
14655	1.195" Hole Size	90
14656	1.307" Hole Size	70
14657	1.495" Hole Size	48
14658	1.745" Hole Size	44





14659

1.995" Hole Size

34

EDP#

14650 14651

14652 14653

14654

#### **Machine Mount Rack**



- Small rack mounts directly to machine, wall, anywhere tools are needed
- Miniature version of our Wall Tree
- Excellent capacity for a small rack
- Shelves mount flat or at a -20° angle
- Base has 6 mounting positions
- Shelf heights are adjustable with 14 positions per side
- · Beveled corners for safety
- Low profile only protrudes
   11" from surface
- Ideal for special ops tools









- Inexpensive, handy option
- Easily mounts in chassis slots next to shelf tabs
- Ideal for collet racks or as a laptop/writing surface

EDP#	<b>Description</b> 18.25" H x 19" W x 11" D, 19 lbs	Capacity
56740	BT, CAT, NMTB 40 taper	28
56744	CAPTO® C4 taper	28
56745	CAPTO® C5 taper	28
56746	CAPTO® C6 taper	28
56750	BT, CAT, NMTB 50 taper	16
56764	HSK 40A, 40C, 40E and KM40 tapers	28
56770	HSK 63A taper	28
56780	HSK 100A taper	16
EDP#	Accessories	
56777	Accessory Tray 17.375" W X 10.625" D X 10.5" H, 8 lbs	

#### **Horizontal Toolholder Rack**



- Mounts on machine, wall, bench, wherever toolholders are needed
- · Horizontal orientation
- Available for most popular tapers
- Uses molded inserts to hold and protect tools
- Ideal for special ops or preset tools

EDP#	<b>Description</b> 24" W x 5" L x 4.875" H, 7 lbs	Capacity
14763	KM 63 taper	7
14764	HSK 40A, 40C, 40E and KM40 tapers	7
14771	BT, CAT, NMTB 40 taper	7
14776	BT, CAT, NMTB 50 taper	5
14777	BT, CAT, NMTB 30 taper	7
14781	HSK 63A taper	7
14791	HSK 100A taper	5
14784	CAPTO® C4 taper	7
14785	CAPTO® C5 taper	7
14786	CAPTO® C6 taper	7

#### **Vertical Toolholder Rack**

- Mounts on machine, wall, bench, wherever toolholders are needed
- Vertical orientation
- Angled lower positions, flat top position
- Available for most popular tapers
- Uses molded inserts to hold and protect tools
- Ideal for special ops or preset tools

EDP#	<b>Description</b> 29.8" H x 7" W x 3.125" D, 9 lbs	Capacity
14740	Vertical Rack for BT, CAT, NMTB 40 taper	6
14741	Vertical Rack for HSK 40A taper	6
14742	Vertical Rack for HSK 63A taper	6
14743	Vertical Rack for BT, CAT, NMTB 30 taper	6
14744	Vertical Rack for CAPTO® C4 taper	6
14745	Vertical Rack for CAPTO® C5 taper	6
14746	Vertical Rack for CAPTO® C6 taper	6
14777	Vertical Rack for VDI 30 taper	6
14778	Vertical Rack for VDI 40 taper	6


 ${\tt CAPTO} @$  is a registered trademark of Sandvik AB





#### EDP #14702

- Organizes tools for daily operation of any machine
- Mounts to machine, wall, workbench, anywhere
- Made of 16 gauge cold rolled steel
- Pre-punched to hold Bondhus 13 pc fractional and 9 pc metric hex wrench sets
- Also pre-punched to hold Huot Bit Buddy fractional drill indexes on either side
- Compatible with 5S initiatives
- Dimensions: 17½" L x 5¾" D x 2¾" H







#### **Angled Platforms**



- Table top design provides easy access to tools
- Angled design for easier selection of tools
- Many tapers and collet types available

EDP#	Description	Capacity
14332	32MM Quick Change Collet Angled Platform	18
14342	42MM Quick Change Collet Angled Platform	18
14352	52MM Quick Change Collet Angled Platform	18
14365	65MM Quick Change Collet Angled Platform	15
14380	80MM Quick Change Collet Angled Platform	13
14399	100MM Quick Change Collet Angled Platform	10

 ${\tt CAPTO} @$  is a registered trademark of Sandvik AB

EDP#	<b>EDP#</b> Description  27.25" W x 20.25" D x 11" H at rear of rack, 15 lbs	
14858	20C collets	24
14863	KM 63 taper	24
14880	HSK 63A taper	24
14885	HSK 100A taper	18
14830	BT, CAT, NMTB 30 taper	24
14840	BT, CAT, NMTB 40 taper	24
14844	HSK 40A, 40C, 40E and KM40 tapers	24
14850	BT, CAT, NMTB 50 taper	18
14856	5C collets	48
14857	16C collets	50
14866	R8 collets or #4 Morse Taper	50
14822	HSK 63F taper	24
EDP#	Description	Capacity
14823	CAPTO® C3 taper	24
14824	CAPTO® C4 taper	24
14825	CAPTO® C5 taper	24
14826	CAPTO® C6 taper	24
14828	CAPTO® C8 taper	18
14833	VDI 30 taper	24
14834	VDI 40 taper	24



#### **Toolholder/Collet Rack**



- Holds NC Toolholders, Collets & Tap Adapters
- Angled for easier selection of stored tools
- Mounts on bench top or fits neatly inside standard 36" industrial cabinet
- · Heavy gauge steel with epoxy powder finish

EDP#	<b>Description</b> 12.5" W x 16.5" D x 6.75" H		
14725	40 Taper NC rack has 12 spaces for toolholders, 7 spaces for Tap Drivers or DA-180 Series Collets, 8 spaces for DA-180 Series, 10 spaces for DA-200 Series, 9 spaces for DA-300 Series.	5.5 lbs	
14728	40 Taper NC Tool Holder has 12 spaces for each of the following: 40 taper toolholders, ER16 Collets and ER32 Collets.	5.5 lbs	
14730	30 Taper NC Tool Holder has 12 spaces for toolholders, 7 spaces for Tap Drivers or DA-180 Series Collets, 8 spaces for DA-180 Series, 10 spaces for DA-200 Series, 9 spaces for DA-300 Series.	5.5 lbs	

#### **Toolholder Tote Rack**



EDP#	<b>Description</b> 28.75" L x 5.25" W x 6" H, 6 lbs	Capacity
14765	BT, CAT, NMTB 30 taper	6
14780	BT, CAT, NMTB 40 taper	6
14749	HSK 40A, 40C, 40E and KM40 tapers	6
14790	BT, CAT, NMTB 50 taper	5
14770	HSK 63A taper	6
14775	HSK 100A taper	5

- Heavy gauge steel with molded inserts to help protect your tooling
- Built-in handles for comfortable carrying


Painted texture black with pollution free powder coating process

#### **5C, R8 Collet Racks**

- · Angled for visibility and easier selection of stored collets
- Tough, solvent free, epoxy finish
- Ecolo-Clad for long lasting protection

**EDP #14600** Holds up to 30 pieces 5C Collets Dimensions: Top 9" W x 12" D Weight: 3 lbs

**EDP #14625** Holds up to 17 R8 Collets Dimensions: Top 5¼" W x 9" D Weight: 2 lbs





#### **Drop-In Drawer Inserts**

EDP#	Description 23.5" x 23.5"	Height	Cap.
22030	BT, CAT, NMTB 30 taper	4"	42
22040	BT, CAT, NMTB 40 taper	4"	42
22050	BT, CAT, NMTB 50 taper	6"	23
22064	HSK 40A, 40C, 40E and KM40	4"	42
22070	HSK 63A taper	4"	42
22072	Divided tray	4"	N/A
22080	HSK 100A taper	6"	23
22800	TG 100 collets	4"	144
22816	ER 16 collets	4"	361
22820	ER 20 collets	4"	289
22825	ER 25 collets	4"	196
22832	ER 32 collets	4"	144


Also available for CAPTO®

- These 23½" x 23½" drop-in inserts are designed to fit in 24" x 24" cabinet drawers
- Sturdy steel construction ensures proper support and fit of your tools
- This simple product allows for organization using the existing furnishings in your facility











#### **Original Dispenser Series Features**

- Original series are as the name implies, the first style of dispensers that Huot created
- Models have 3, 4 or 5 drawers and weigh between 10 and 14 lbs without tools
- Designed to hold a full package of each size in jobber length
- Decimal equivalents shown on drawer labels



EDP #13000

- Indents and protrusions on the top and bottom of the dispenser allow for easy stacking
- One piece compound slides provide long life
- · Rounded column bottoms for easy tool removal
- All models measure
   14 5/8" W x 7 5/8" D x 7<sup>3</sup>/<sub>4</sub>" H

#### **Drills Frac/Wire/Letter/Metric**

#### EDP #13000

• Holds Fractional Drills 1/16" to ½" by 64ths Weight: 10 lbs

#### EDP #13025

• Holds Wire Gauge Drills #1 to #60

Weight: 13 lbs **EDP #13050** 

• Holds A to Z Letter Size Drills

Weight: 10 lbs **EDP #13075** 

Holds Metric Drills 1MM to 13MM by 0.5MM

Weight: 13 lbs **EDP #13100** 

• Holds Metric Drills 1MM to 6.9MM by 0.1MM

Weight: 13 lbs **EDP #13040** 

• Holds Wire Gauge Drills #1 to #80

Weight: 13.75 lbs

#### **Stub/Screw Machine**

#### EDP #13015

• Holds Stub drills 1/16" to 1/2" x 64ths

Weight: 10.25 lbs each

#### EDP #13030

Holds Stub drills 1-60

Weight: 13.25 lbs. each

#### EDP #13060

Holds Stub drills A-Z

Weight: 10.25 lbs each

#### EDP #13080

• Holds Stub drills 1mm-13mm x 0.5mm

Weight: 10.25 lbs each

#### EDP #13090

• Holds Stub drills 1mm-6.9mm x 0.1mm

Weight: 13.75 lbs each

#### **Taps**



EDP #13500

#### EDP #13500

Holds NC and NF taps:

• ¼"-20NC ¼"-28NF ¾6"-18NC ¾6"-24NF ¾"-16NC ¾"-24NF ¾6"-14NC ¼6"-20NF ½"-13NC ½"-20NF %6"-12NC ¾6"-18NF ¾"-11NC ¾"-18NF ¾"-10NC ¾"-16NF ¾"-9NC ¾"-14NF 1"-8NC 1"-12NF

Weight: 10.5 lbs

#### EDP #13550

Holds taper, plug, bottoming and machine screw sizes:

• 2-56 3-48 3-56 4-40 4-48 5-40 5-44 6-32 6-40 8-32 8-36 10-24 10-32 12-24 12-28

Weight: 13 lbs

#### EDP #13575

Holds 29 popular metric sizes:

• 3mm x .50	3mm x .60	4mm x .70	4mm x .75
5mm x .80	5mm x .90	6mm x 1.00	6.3mm x 1.00
7mm x 1.00	8mm x 1.00	8mm x 1.25	9mm x .75
9mm x 1.00	9mm x 1.25	10mm x 1.00	10mm x 1.25
10mm x 1.50	11mm x 1.50	12mm x 1.25	12mm x 1.50
12 mm x 1.75	14mm x 1.25	14mm x 1.50	14mm x 2.00
16mm x 1.50	16mm x 2.00	18 mm x 2.50	20mm x 2.50
24mm x 3.00			

Weight: 10.5 lbs

#### **Silver Deming**

#### EDP #13166

 Holds 2 each reduced shank S/D bits from 33/64ths to 63/64ths by 64ths

Weight: 13.25 lbs

#### EDP #13167

Holds 2 each reduced shank S/D bits 1", 1-1/32, 1-1/16, 1-1/8, 1-5/32, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2
 Weight: 10.75 lbs





#### EDP #13560

Holds all sizes of National Pipe Taps (NPT) from 1/16" to 2"

- Top drawer #1 holds 1/16"-27 to ½"-14 in 13 compartments
- Drawer #2 holds 3/4"-14 to 1-1/4"-11-1/2" in 6 compartments
- Drawer #3 holds 1-1/2"-11-1/2" to 2"-11-1/2" in 2 compartments

Weight: 10.25 lbs

See huot.com for more details

#### **Taps and Drills**



EDP #13590

#### EDP #13590

Stores and organizes correct drill with corresponding size tap

•	TAP	DRILL	TAP	DRILL
	6 - 32	#36	5√16 <b>- 24</b>	I
	8 - 32	#29	<b>% - 16</b>	5/16
	10 - 24	#25	<b>% - 24</b>	Q
	10 - 32	#21	7/16 <b>- 14</b>	U
	1/4 - 20	#7	½6 <b>- 20</b>	<sup>25</sup> /64
	1/4 - 28	#3	½ - 13	<sup>27</sup> /64
	‰ <b>- 18</b>	F	1/2 - 20	29/64

Weight: 10.5 lbs

See huot.com for more details

# EDP #13595

#### EDP #13595

Holds Metric taps, drill and dies

• Top drawer #1 holds: 2.5 x .45 tap - 2.05 drill, dies

3.0 x .50 tap - 2.50 drill, dies 3.5 x .60 tap - 2.90 drill, dies 4.0 x .70 tap - 3.30 drill, dies

• Drawer #2 holds: 5.0 x .80 tap - 4.20 drill, dies

> 6.0 x 1.0 tap - 5.00 drill, dies 8.0 x 1.25 tap - 6.70 drill, dies

• Drawer #3 holds: 10.0 x 1.50 tap - 8.50 drill, dies

12.0 x 1.75 tap - 10.20 drill, dies

Weight: 10.25 lbs

See huot.com for more details

#### **Counterbores**



#### EDP #13570

#### EDP #13570

Holds continuous pilot counterbore sizes:

• #4, #5, #6, #8, #10, #12, ¼", 5/16", 3/8" 7/16" & ½"

Weight: 14 lbs

#### **Step Drills**

#### EDP #13652

- Pre-labeled from 1/8" to 1-3/8" sizes
- Multiple bits per compartment storage
- Also stores corresponding center drills
- Also comes with custom labeling kit
- Can be labeled to your needs
- Weight: 10.25 lbs







EDP #13350

#### EDP #13350

For small end mill inventories:

- Top drawer #1 holds 9/16", 11/16" 7/8"
- Drawer #2 holds 3/16", 5/16" 7/16" 5/8" 1"
- Drawer #3 holds 1/8", 1/4", 3/8", 1/2", 3/4"

Weight: 10.25 lbs

#### **Carbide Burrs**



#### EDP #13200

Holds the following sizes:

- Top drawer #1 holds Cylindrical ¼" x 5/8", Cyl. Rad. End. ¼' x 5/8", Ball ¼" x ¼", Oval ¼" x 3/8", Tree Rad. ¼" x ¾", Tree/Pointed ¼" x ¾", Cone/Rad. End ¼" x 5/8", Cylindrical 3/8" x ¾", Cyl./Rad. End 3/8" x ¾", Ball 3/8", Oval 3/8" x 5/8", Tree/Rad. End 3/8" x ¾"
- Drawer #2 holds Tree Pointed 3/8" x ¾", Cone Rad./End 3/8" x 1-1/16", Cone Flat/End ¼" x 1", Cone Rad./End 1/2" x 1-1/8", Cone Flat/End 3/8 x 1", Cylindrical 1/2" x 1"
- Drawer #3 holds Cyl. Rad. End. ½" x1", Ball ½", Oval ½" x 7/8", Tree/Rad. End 1/2" x 1", Tree Pointed 1/2" x 1", Cone Flat/End 1/2 x 1"

Weight: 10.5 lbs



#### EDP #13410

Holds Fractional Reamers 1/16" to ½" by 64th's

Weight: 13 lbs

#### EDP #13415

• Holds A to Z Letter Size Reamers

Weight: 13 lbs

#### EDP #13420

• Holds Wire Gauge Drills #1 to #60

Weight: 13 lbs

#### EDP #13425

• Holds Metric Reamers 1MM to 13MM by 0.5MM

Weight: 14 lbs

#### EDP #13430

Holds Over/Under and Dowel Pin Sizes

Weight: 11 lbs

#### **Carbide Inserts**



#### EDP #13650

- Designed to keep inserts at each work center
- Compact size and affordable price lets the user keep the most frequently used inserts within fingertip reach
- Three drawers have a moveable divider with a large fourth drawer to store tool holders and extra inserts
- Label holders on drawer fronts permit easy, quick identification and inventory check
- Stackable with other cutting tool storage cabinets to save space Weight: 13 lbs



#### **Master Dispenser Series Features**

- Same function as the Original Dispensers with more features
- Master Dispensers consolidate several Original Dispensers in one cabinet
- Models have 3, 4, 5 or 6 drawers and weigh between 40 and 80 lbs without tools in them
- Designed to hold a full package of each size in jobber length, with room for spares
- Drawer divider kits available for lower drawer



EDP #13175

- Decimal equivalents shown on drawer labels
- Included clips slide into cabinet tops to facilitate stacking
- Full extension ball bearing slide for smooth operation and long life
- Rounded column bottoms for easy tool removal
- All drawers have detent locks and cabinet has key lock
- Dimensions: 26" W x 12" D x 12½" H, unless otherwise specified

#### **Drills Frac/Wire/Letter/Metric**

#### EDP #13175

Holds full packages (minimum 12 pcs) of jobber or screw machine length drills in fractional, wire gauge and letter sizes.

- Top drawer holds fractional drills ½" to ½" by 64th's in 42 compartments
- 2nd drawer is for #1 to #60 wire gauge in 75 compartments
- 3rd drawer for letter size A to Z in 42 compartments

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.



#### **Silver Deming**

#### EDP #13165

Holds the following Silver Deming drills.

- Top drawer #1 holds 33/64" to 37/64" in 25 compartments
- Drawer #2 holds 19/32" to 21/32" in 25 compartments
- Drawer #3 holds 43/64" to 47/64" in 25 compartments
- Drawer #4 hold 3/4" to 27/32" in 17 compartments
- Drawer #5 holds 55/64" to 31/32" in 17 compartments
- Drawer #6 holds 63/64" to 11/2" in 17 compartments

Dimensions: 26" W x 12" D x 15 -7/8" H

Weight: 80 lbs

Scan QR code for detail including drawer configuration photos.



#### **Taper Shank & Length**

#### EDP #13185

Stores taper length or taper shank drills

• 1/8" to 1" by 64ths

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.



#### EDP #13085

Holds Metric drills

• 1MM to 25MM x 0.5MM

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.

Open

from 13175

drawer

#### EDP #13180

Holds metric drills from 0.35MM to 13.0MM

- Top drawer #1 holds 0.35MM to 5.6MM
- Drawer #2 holds 5.7MM to 9.3MM
- Drawer #3 holds 9.3MM to 13.0MM
- Drawer #4 is open for spares and longer drills
   Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.



#### EDP #13190

Holds full packages (minimum 12 pcs) of jobber or screw machine length drills in fractional, wire gauge, letter sizes and metric drills.

- Top drawer #1 holds fractional drills 1/16" to ½" by 64th's in 42 compartments
- Drawer #2 holds wire gauge #1 to #60 in 75 compartments
- Drawer #3 letter sizes A to Z in 42 compartments
- Drawer #4 hold metric sizes 0.35MM to 5.6MM in 75 compartments
- Drawer #5 holds metric drills sizes 5.7MM to 9.3MM in 59 compartments
- Drawer #6 holds metric drill sizes 9.4MM to 13.0MM in 21 compartments

Dimensions: 26" W x 12" D x 15 -7/8" H Weight: 80 lbs

Scan QR code for detail including drawer configuration photos.





#### EDP #13585

Holds common NC and NF, metric and machine screw sizes

- Top drawer #1 holds machine screw size 2-56 to 12-28 taper plug, bottom and spiral in 40 compartments
- Drawer #2 holds metric sizes from 2.5MM to 30MM in 78 compartments
- Drawer #3 holds 1/4"-20 NC to 7/8"-14 NF in 21 compartments
- Drawer #4 holds 1"-8 NC to 1-1/2"-12 NF in 13 compartments

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.



#### EDP #13580

For sizes 1/4"-20 to 1"-14 taps

• Holds taper, plug, bottom and spiral:

2-56 3-48 3-56 4-40 4-48 5-40 5-44 6-32 6-40 8-32 8-36 10-24 10-32 12-24 12-28

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.



#### **Reamers**

#### EDP #13400

Stores the following reamers:

1/6"-4 ea., .1230 d/p, .1240 under, .1247 d/p, .1260 over, 3 ea. 3/16", .1855 d/p, .1865 under, .1870 d/p, .1885 over, 3 ea. 1/4"-4 ea., .2480 d/p, .2490 under, .2495 d/p, .2510 over, 3 ea. 5/16"-3 ea., .3105 d/p-3 ea., .3115 under 2 ea., .3120 d/p-2ea., .3135 over-2 ea. 3/16"-4 ea., .3730 d/p, .3740 under, .3745 d/p, .3760 over, 3 ea. 7/16", .4355 d/p, .4365 under, .4370 d/p, .4385 over, 2 ea. 1/2"-4 ea., .4980 d/p-2 ea., .4990 under, .4995 d/p, .5010 over, 3 ea.

Dimensions: 26" W x 12" D x 95/16" H

Weight: 40 lbs

Scan QR code for detail including drawer configuration photos.



#### EDP #13450

Holds the following reamer sizes:

- Top drawer #1 holds metric reamers 1MM to 13MM x 0.5MM
- Drawer #2 holds Fractional reamers 1/16" to 1/2"
- Drawer #3 holds Over/Under reamers from .1240 to .5010
- Drawer #4 holds Dowel Pin reamers from .1230 to .4995

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.





#### EDP #13597

Holds tap and drill sizes #0 to #80 3/64 1.5-12 1-27/64

- . Holds tap with corresponding drill next it
- Hold a dozen of the smaller sizes and several of the larger sizes
- Tap/drill charts on drawer front

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.





#### EDP #13599

Holds metric tap and drill sizes M1.6 x 0.35 tap with 1.25MM drill to M24 x 2.0 with 22MM drill

- . Holds tap with corresponding drill next it
- Hold a dozen of the smaller sizes and several of the larger sizes
   Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.

#### **Under-Mount Drill Dispensers**

EDP# 30000 for fractional drills 1/16" to 1/2" x 64ths


**EDP# 30025** for wire gage drills #1 to #60

EDP# 30050 for A to Z letter drills

EDP# 30001 open drawer, no dividers

- The under-mount Drill Dispenser can be mounted under a bench, secured to a shelf, or mounted on the bottom of a Tree family Utility Shelf
- Ball bearing slides with detent locks ensure smooth operation
- · Key lock helps keeps tools safe and secure

Overall Dimensions: 26%" W x 12½" D x 4½" H Drawer Dimensions: 23%" W x 11" D x 3" H Weight: 14.5 lbs









EDP #13325



EDP #13375

#### EDP #13300

Holds 2 flute double end and single end mills

- Top drawer #1 holds single end fractional end mills 1/8" to 1" in 41 compartments with extra space for specials
- Drawer #2 holds double end fractional end mills 1/16" to 1", multiple shank sizes in 41 compartments
- Drawer #3 open for other tools or specials. Optional divider kit available

Dimensions: 26" W x 12" D x 9 -3/8" H Weight: 40 lbs

Scan QR code for detail including drawer configuration photos.



#### EDP #13325

Holds 4 flute double end and single end mills

- Top drawer #1 holds single end fractional end mills 1/8" to 1" in 41 compartments with extra space for specials
- Drawer #2 holds double end fractional end mills 1/16" to 1", multiple shank sizes in 41 compartments
- Drawer #3 open for other tools or specials. Optional divider kit available

Dimensions: 26" W x 12" D x 9 -3/8" H Weight: 40 lbs

Scan QR code for detail including drawer configuration photos.



#### EDP #13375

Holds Metric End Mills:

- Top drawers #1 and drawer #2 holds sizes 2MM to 25MM in 60 compartments
- Drawer #3 is open for spares Dimensions 26" W x 12" D x 9-5/16" H Weight 40 lbs

#### EDP #13700

Holds the following reamer sizes:

- Top drawer #1 holds metric reamers 1MM to 13MM x 0.5MM
- Drawer #2 holds Fractional reamers 1/16" to 1/2"
- Drawer #3 holds Over/Under reamers from .1240 to .5010
- Drawer #4 holds Dowel Pin reamers from .1230 to .4995

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.



#### **Carbide Inserts**



#### EDP #13600

- Holds Square, Triangular, Diamond and Round Inserts, with additional space for Specials
- 36 Compartments to hold packages or loose inserts. Measures 3¾" W x 5½" D
- Pre-labeled for insert shape.
- Label set included for your personalized marking of size, radius, grind and thickness
- · Lockable and comes with set of two keys
- Stackable with other dispensers
- Ball bearing drawer slides

Weight: 50 lbs

Scan QR code for detail including drawer configuration photos.





#### **Universal Master Dispenser**



#### EDP #13174

- · Full extension ball bearing slides with posi-lock catch
- 72 movable dividers included
- 3 drawers are divided, bottom drawer is open for larger tools
- Columns are fixed at 3.25" wide
- · Dividers are in 1" increments
- Drawers measure 10.5" front to back
- Key lock on all Master models
- Steel construction

Dimensions: 26" W x 12" D x 121/2" H

Weight: 50 lbs

#### **Dispenser Drawer Divider Kit**



#### EDP #14030

- Four sections create 25 compartments in Huot Master Series standard 11" x 23-1/8" dispenser drawers and most tool boxes
- Individual compartments are each 11" deep x 15/16" wide x 1" high

#### EDP #14060

- Four sections create 17 compartments 11/4" wide and 11" deep
- Vinyl compartments separate tools to prevent damage and organize inventory
- Can be labeled for inventory control and tracking
- Use in combination with Protective Vinyl Webbing to multiply drawer capacity

#### **Measuring Tool Master Dispenser**



#### EDP #13321

Chances are you're storing your measuring tools in your tool box along with everything else. Ever wonder why your measuring tools are so beat up? Put those expensive and valuable tools in their own dedicated cabinet.

- For vernier calipers, micrometers, etc.
- Stackable with other Huot Masters
- · Comes with stacking clips
- Oil and grease resistant drawer liners
- · Foam liners provide a soft storage surface
- Durable gray powder coat finish
- Three drawers provide ample storage
- Ball bearing drawer slides
- Locking for security
- Dimensions: 26" W x 12" D x 12½" H

#### **Master Dispenser Stands**



#### EDP #13333

Master Dispenser Stands are more ergonomic. Instead of taking up valuable space on that bench top, this stand allows you to put your cutting tools next to the bench, not on it.

- Our Master Dispensers fit easily and securely in the top
- Cold rolled steel construction
- Ergonomic position reduces bending
- Black texture powder coat finish
- · A safe and efficient addition to any shop
- Available in 12" or 26" heights
- · Adjustable feet allow for leveling
- · Assembles in minutes



#### **Super Chest and Super Cabinet**

- Solid welded drawer dividers front to back provide a rigid smooth surface with no holes to lose parts
- 24,000 combined cubic inches of usable storage space
- Heavy duty cam lock and hidden locking mechanism
- Rugged, exclusive I-beam doublewall construction
- 18 gauge, all steel construction with Huot's Ecolo-Clad plastic paint. Environmentally safe finish
- Steel skid keeps unit off floor and allows for stacking for even greater space savings
- Stackable. Two high maximum
- Label holders provide identification at a glance
- Each drawer rigidly constructed of solid steel with no holes in drawer bottom to keep small parts inside of drawer. Will hold 150 lbs. supported on full extension ball bearings slides
- Deeper drawers available

#### EDP #13530

Super chest with 8 drawer capacity. 240 individual drawer dividers included. Dimensions: 34" W x  $19\frac{1}{8}$ " D x  $23\frac{1}{8}$ " H Weight: 220 lbs

#### EDP #13525

Super cabinet with 15 drawer capacity. 480 individual drawer dividers included.

Dimensions: 34" W x  $19\frac{1}{8}$ " D x 38" H Each drawer measures 29" W x 18"D x 2" H Weight: 375 lbs



Scan for YouTube video





#### EDP #13527

Super cabinet with 8 drawer capacity. 7 drawers 4" high, 1 drawer 2" high. 480 individual drawer dividers provided. Dimensions: 34" W x 191/8" D x 38" H. Each drawer measures 29" W x 18" D x 2" H Weight: 375 lbs

Huot Mfg. Co. does not manufacture or distribute cutting tools of any type. Cutting tools shown in all photos are for display purposes only.



#### EDP #12750

For jobbers length fractional drills \\[^{1}\_{6}\] to \\[^{1}\_{4}\] inclusive by 64ths.

Dimensions: 4" W x 5%" D x 5/6" H

#### EDP #10350

For jobbers length fractional drills 1/16" to 1/2" inclusive by 32nds.

Dimensions: 4" W x 7" D x 11/4" H

#### EDP #10400

For wire gauge drills No. 61 to 80. Dimensions: 11/2" W x 2" D x 1/32" H

#### EDP #10450 (21)

For jobbers length fractional drills 1/16" to 3/8"

inclusive by 64ths.

Dimensions: 4" W x 6" D x 11/8" H

#### EDP #10500 (26)

For letter size drills A to Z inclusive. Dimensions: 4" W x 7" D x 1¾" H

#### EDP #10550 (29)

For jobbers length fractional drills 1/6" to 1/2" by 64ths inclusive. Decimal equivalents and U.S.S. tap information included.

Dimensions: 4" W x 7" D x 1¾" H



#### EDP #10600

For wire gauge drills #1 to #60 inclusive. Decimal equivalents and machine screw tap information included.

Dimensions: 31/4" W x 41/2" D x 1" H

#### EDP #10800

For jobbers length fractional drills 1/4" to 1/4" by 64ths.

Dimensions: 4" W x 5%" D x 1/6" H

#### EDP #12300

For  $\frac{1}{6}$ " to  $\frac{1}{4}$ " by 64ths and  $\frac{9}{2}$ " to  $\frac{1}{2}$ " by 32nds, jobbers length.

Dimensions: 4" W x 7" D x 11/4" H

#### EDP #10875 **Maintenance Index**

19 piece index holds every drill needed for frequent maintenance work in one handy index case. Holds 1/6", 5/64", 3/32", 1/8", #29, #25, \(\frac{5}{2}\)", #21, \(\frac{7}{6}\)", #7, \(\frac{7}{32}\)", \(\frac{7}{4}\)", #F, \(\frac{5}{6}\)", #U, 3/8", 27/64", 7/16", 1/2".

Dimensions: 4" W x 7" D x 11/4" H

#### EDP #11655

Holds 6" OAL aircraft extension bits from 1/16" to 1/2" by 64ths.

Dimensions: 4" W x 2" D x 83/4" H

Weight: 1.5 pounds.

#### EDP #15235

Holds jobber length drills 1/8", 3/6", 1/4", 5/6", 3/8", 7/16", 1/2".

Dimensions: 4" W x 7" D x 11/4" H For metric sizes see page 26

#### Screw Extractor & Drill Index

#### EDP #10200

Holds #1, #2, #3, #4, #5 screw extractor and corresponding size drill bit. Dimensions: 4" W x 51/2" D x 1/2" H

EDP #10200

#### **Reamer Cases**

These handy, all-steel reamer cases are designed to hold the reamer securely by the shank to help protect delicate cutting edges. Indexed for reamer size in decimal equivalents, with raised embossed lettering for permanent identification.

#### EDP #12100

Over and Under sizes .124 - .126 to .499-.501 by 16ths. Holds 14 reamers. Dimensions: 4" W x 8-5/18" D x 13/16" H

#### EDP #12125

For dowel pin reamers .123 to .4995. Holds 14 reamers.

Dimensions: 4" W x 8-5/8" D x 13/16" H



#### EDP #12000

A to Z reamers.

Dimensions: 4" W x 8-5/8" D x 1-13/16" H EDP #12050

Chucking reamers 1/16" to 1/2" by 64ths. Dimensions: 4" W x 8-5/8" D x 1-13/16" H

#### EDP #12200

No.1 to 60 inclusive.

Dimensions: 3-3/8" W x 6-3/4" D x 13/16" H

#### EDP #12130

For metric reamers 1.00mm to 13.00mm by 0.5mm. Holds 25 reamers in an all steel case with easy to read mylar identification labels to pick the right size quickly and easily. Dimensions: 83/4" W x 4"D x 13/4"H



#### **Bit Buddy**

Bit Buddy is all plastic, break resistant and water resistant, durable and holds Jobbers length or Mechanics length drill bits.

#### EDP #30550

For Jobbers length drills  $\frac{1}{6}$ " to  $\frac{1}{2}$ " by 64ths.

#### EDP #30650

For Mechanics length drills  $\frac{1}{16}$ " to  $\frac{1}{2}$ " by 64ths.

Huot Mfg. Co. does not manufacture or distribute cutting tools of any type. Cutting tools shown in all photos are for display purposes only.

Custom colors available in 1,000 piece minimum.





#### **Combination Indexes**



EDP #11700

#### EDP #11700

Holds 115 drills-29 fractional, 26 letter and 60 wire gauge; 1/16" to 1/2" by 64ths, 1 to 60, A to Z letter size. (Stub version EDP #11550 available see page 27).

#### EDP #11750

Same features as Model #115 above but includes the #61-80 wire gauge sizes in one complete index. Holds 135 drills.

#### EDP #11800

Holds 134 drills-29 fractional, #80 wire gauge and 25 metric; 1/16" to 1/2" by 64ths #1 to #80 wire gauge, 1mm to 13mm by 0.5mm.

Dimensions:  $13\frac{1}{2}$ " W x  $4\frac{5}{8}$ " D x  $2\frac{1}{4}$ " H

Weight: 4 lbs

Ideal for keeping all of the most commonly used drills handy. Holds up to 135 drills in one combination case. Indexed for size and decimal equivalents.

#### EDP #11825

Holds 118 most popular metric bits from 1.0mm to 13.0mm. See metric indexes below for full description.

Dimensions: 135/16" L x 41/2" W x 23/4" H

Weight: 4 lbs **EDP #11550** 

Holds 115 stub screw machine length drills in one case. For stub drills 1/16" to 1/2" by 64ths, 1 to 60 wire gauge and A to Z letter

size.

Dimensions: 13½" W x 45%" D x 2¼" H

#### **Drill Indexes/Metric**

#### EDP #11825

Holds 118 most popular metric bits from 1.0mm to 13.0mm. Sizes include:

1.00mm to 2.50mm by .05mm 2.6mm to 10.0mm by .1mm

10.2mm 10.5mm 10.8mm

11.0mm 11.2mm 11.5mm

11.8mm 12.0mm 12.2mm 12.5mm 12.8mm 13.0mm

U.S. decimal equivalents are given

Dimensions: 13% L x 4% W x 2% H

Weight: 4 lbs

for each size drill.

#### EDP #11000

1mm to 6mm inclusive by 0.5mm Dimensions: 4" W x  $5\frac{1}{2}$ " D x  $\frac{1}{2}$ " H

#### EDP #11050

1mm to 7mm inclusive by 0.5mm Dimensions: 4" W x  $5\frac{1}{2}$ " D x  $\frac{1}{2}$ " H



#### EDP #11100

1mm to 10mm by 0.5mm inclusive. Dimensions: 4" W x 6" D x 11/4" H

#### FDP #11150

1mm to 13mm by 0.5mm inclusive. Dimensions: 4" W x 7" D x 1¾" H

#### EDP #11200

6mm to 10mm by 0.1mm inclusive. Dimensions:  $4\frac{1}{2}$ " W x  $7\frac{1}{8}$ " D x  $2\frac{1}{2}$ " H

#### EDP #11250

1mm to 5.9mm by 0.1mm inclusive. Dimensions:  $3\frac{1}{4}$ " W x  $4\frac{1}{2}$ " D x 1" H



#### **Silver Deming**

#### EDP #10760

For drills: 9/16" to 1" by 16ths. Holds eight S/D drills securely by the 1/2" shank. Dimensions: 81/2" L x 61/4" W x 2" H

Weight: 2.5 lbs

(See page 38 for S/D stand)



Three index cases to complete S/D drills from 1/2" to 1" by 64ths

#### EDP #10761

15 S/D drills 1/2" to 23/32" by 64ths

10 S/D drills 47/64" to 7/8" by 64ths

#### EDP #10763

8 S/D drills 57/64" to 1" by 64ths Dimensions: 81/2" L x 61/4" W x 2" H

Weight: 2.5 lbs

#### **Taper Shank/Taper Length**

#### EDP #10900

For Morse taper shank and taper length straight shank drills 33/64" to 3/4" by 64ths.

Dimensions: 51/2" W x 121/4" D x 31/4" H

#### EDP #10950

For Morse taper shank and taper length straight shank drills 49/64" to 1" by 64ths. Dimensions: 6%" W x 15%" D x 31/6" H



EDP #10900

#### EDP #11525

A to Z letter size taper length. Dimensions: 8¾" W x 4" D x 1¾" H

#### EDP #11600

1/16" to 1/2" by 64ths taper length. Dimensions: 83/4" W x 4" D x 13/4" H

#### EDP #11650

1 to 60 wire gauge taper length. Dimensions: 63/4" W x 31/2" D x 11/4" H

#### **Carbide Burr Indexes**



EDP #15035

of all types. **EDP #15030** Holds 8 pieces 1/4" shank. **EDP #15035** Holds 10 pieces 1/4" shank. EDP #15040 Holds 8 pieces 1/8" shank. Dimensions: 31/4" W x 41/2" D x 1" H

Safely separates and holds carbide burrs

#### EDP #11300

Index for stub screw machine length fractional drills 1/16" to 1/4" by 64ths.

Dimensions: 4" W x 5%" D x 5%" H

#### EDP #11350

Index for stub screw machine length fractional drills 1/16" to 3/8" by 64ths.

Dimensions: 4" W x 4%" D x %" H

#### EDP #11375

For metric stub drills 1 to 13 mm by 0.5 mm. Decimal equivalents and screw information included.

Dimensions: 4" W x 7" D x 1¾" H

#### EDP #11400

For stub screw machine letter drills A to Z. Dimensions: 4" W x 7" D x 1¾" H

#### **Stub Screw Machine Indexes**



#### EDP #11450

Index for stub screw machine length fractional drills, 1/16" to 1/2" by 64ths. Decimal equivalents and U.S.S. tap information included.

Dimensions: 4" W x 7" D x 1¾" H

#### EDP #11500

For stub screw machine length drills wire gauge #1 to #60 inclusive, decimal equivalents and screw tap information.

Dimensions: 31/4" W x 41/2" D x 1" H

#### EDP #11550

Holds 115 stub screw machine length drills in one case. See the Combination Index section for additional details. For stub drills 1/16" to 1/2" by 64ths, 1 to 60 wire gauge and A to Z letter size.

Dimensions: 13½" W x 45%" D x 214" H



#### **Tap Indexes**

#### EDP #12575

Holds coarse and fine

1/4" – 20	1/4" - 28
5⁄16" <b>− 18</b>	5/16" <b>- 24</b>
3/8" <b>–</b> 16	<sup>3</sup> / <sub>8</sub> " – 24
7/16" <b>– 14</b>	1/16" <b>- 20</b>
1/2" - 13	1/2" - 20

#### EDP #12550

Holds fine and coarse

0 - 80	5 – 40	5 – 44	
1 - 72	1 - 64	6 - 32	6 - 40
2 - 56	2 - 64	8 - 32	8 - 36
3 - 48	3 - 56	10 - 24	10 – 32
4 - 40	4 _ 48	12 - 24	12 _ 28





#### EDP #12590

Holds the following 10 U.S. tap sizes: 4-40NC 1/4"-20NC 5/6"-18NC 6-32NC 8-32NC 3/8"-16NC 10-24NC ½"-13NC %"-11NC 10-32NF Or the following 10 metric tap sizes: 16 x 2.0 5 x .8 12 x 1.75 4.5 x .75 10 x 1.5 4 x 7 8 x 1.25 3.5 x .6 3 x .5 6 x1.0 Dimensions: All models measure 3¼" W x 4½" D x 1" H

#### **Tap and Drill Indexes**

#### EDP #12700

Conveniently combines taps with the corresponding tap drill alongside of one another.

- National Fine
- Holds sizes: 6-40 tap #33 drill, 8-36 #29, 10-32 #21, 12-28 #15, ¼"-28 #3, ½"-24 #1, ½"-24 #Q, ½"-20 #254, ½"-20 #254.
- National Coarse
- Holds sizes: 6-32 tap #36 drill, 8-32 #29, 10-24 #25,12-24 #16, ¼"-20 #7, ½"-18 #F, ¾"-16 #½", ½"-14 #U, ½"-13 #²½4.
- Clips mounted in the cover provide a handy place for securing your T-handle or adjustable tap wrench.

Dimensions: 131/2" W x 41/2" D x 23/4" H



#### EDP #12600

- National Coarse
- Holds sizes: 6-32 tap #36 drill, 8-32 #29, 10-24 #25, 10-32 #21, ¼-20 #7, 
  %6-18#F, %-16 #%6, %6-14 #U, ½-13 #²¾4

Dimensions: 4" W x 7" D x 11/4" H

#### EDP #12650

- National Fine
- Holds sizes: 6-40 tap #33 drill, 8-36 #29, 10-24 #25, 10-32 #21, ½-28 #3, ½-24 #l, ½-20 #25/64, ½-20 #25/64.

Dimensions: 4" W x 7" D x 11/4" H

#### EDP #12675

- I.S.O. 529 1975
- Holds Sizes: 2.5 x 0.45 tap 2.05 drill, 3.0 x 0.50 2.50, 3.5 x 0.60 2.90, 4.0 x 0.70 3.30, 5.0 x 0.80 4.20, 6.0 x 1.00 5.00, 8.00 x 1.25 6.70, 10.0 x 1.50 8.50, 12.0 x 1.75 10.20

Dimensions: 4" W x 7" D x 11/4" H

#### **Drill Stands, Jobber or Stub Screw**

#### EDP #11850

Letter sizes A to Z inclusive Dimensions: 5%" W x 2%" D x  $1\frac{1}{2}$ " H Weight: 3 lbs


#### EDP #11900

Fractional drills  $\%_6$ " to %" by 64ths inclusive. Dimensions: 5%" W x 2%" D x 1%" H Weight: 3 lbs

#### EDP #11975

For jobbers and stub or screw machine length from  $\frac{1}{2}$ " to 1" by 64ths "held by flute" Dimensions: 13" W x 5" D x 2" H Weight: 3 lbs








#### **Silver Deming**

#### EDP #11985

For Silver Deming drills from 1/2" to 1" by 64ths held by shank.

Dimensions: 3" W x 5" D x 2" H

Weight: 3 lbs



#### **Carbide Burr Stand**

#### EDP #11875

Holds 24 each, 1/4" shank burrs. Holds up to 24, 1/4" shank burrs. Mounts on wall or drill press for easy accessibility.

Made from a single piece of steel.

Dimensions: 5-5/8" W x 2-5/8" D x 11/2" H



#### EDP #12250

For measuring 1/16" to 1/2" by 64ths

drill bits.

Dimensions: 6" W x 3" D

#### EDP #12260

For measuring #1 to 60 wire gauge


drill bits.

Dimensions: 51/4" W x 2" D

#### EDP #12280

For measuring drills  $\frac{1}{2}$ " to 1" by 64ths.

Dimensions: 13" W x 5" D





#### **Aerosol Can & Spray Bottle Racks**



#### EDP #14757 Can Rack

The Can Rack easily mounts just about anywhere. Oils, aerosols, cleaners and "whatever" conveniently within your reach.



# Huot



#### EDP #14760

Holds larger (24 oz.) spray bottle and cans with a 3.5" diameter hole. Reduces refill trips by accommodating larger bottles of sprays, liquids and lubricants.



EDP#	Description
90332	Double hole stainless steel spray bottle holder
90333	Single hole stainless steel spray bottle holder
14752	Double hole spray bottle holder in flat black
14758	Triple hole spray bottle holder in flat black
14760	Single hole spray bottle holder in flat black

#### **Hand Sanitizer/Soap Bottle Holder**



#### EDP #14707

Proper hygiene practices keep all employees safe and healthy. Prevent outbreaks in your facility by providing convenient, sanitary cleansing locations throughout the premises. Clean hands are critical to containing germs that spread easily.

- . Mounts directly to wall to provide stability
- Adjustable for large and small bottles
- · Fits round and oval shaped bottles
- Top bracket fits over bottle pump collar
- Wing nuts secure bottle firmly in rack
- 18 guage steel construction
- · Scratch proof powder coating
- Dispenses fluid directly into hands
- · Bottom lip provides bottle stability
- Adjusts from 4¼" to 7¾" in height

#### **Wipes Bucket Holder**



- Holds buckets up to 5.25" in diameter
- Ideal for hand or disinfectant wipes
- . Mounts directly to wall for easy access
- Unbreakable steel construction
- Textured black finish
- Multiple mounting points for added stability
- Ideal with Huot spray bottle and paper towel holders
- Made in USA



#### **Magnetic Industrial Paper Roll Holder**

#### EDP #14709

Our spray bottle and can racks have been extremely popular; the natural next step was to provide a holder for industrial size paper towel rolls. These magnetic holders put the paper towels right where you need them with the spray bottles.

- Extremely strong magnets provide stability
- Each magnet provides 45 lbs. of slide force
- Phenolic knobs fit any middle roll
- · Steel construction with powder coating
- Use for any width or height of paper roll
- Mount rolls horizontally or vertically
- · Ideal for machine cells or bathrooms
- Helps with good hygiene and cleanliness
- · Keep hands and work surfaces clean
- Ideal for 5S applications




#### **Direct Mount Adjustable Paper Roll Holder**

#### EDP #14708

In an effort to keep employees in your facility safe and healthy, you can never have too many spray bottles or paper towels around. With so many people tearing towels off the dispenser all day, you need a good, industrial quality paper roll holder that won't break.

- . Mounts directly to wall to provide stability
- Holds paper rolls horizontally or vertically
- · Phenolic knobs fit any middle roll
- Holds paper rolls up to 11" wide
- Magnet adjusts paper size and tear tension
- 18 guage steel construction
- · Scratch proof powder coating
- Ideal for public areas or machine cells
- Use with Huot spray bottle racks
- 111/8" W x 5" D x 41/2" H



#### Webbing




- Woven of tough, flexible and stretchable polyethylene
- · Great protection for delicate edges of cutting tools
- · Doubles/triples storage capacity of any drawer

EDP#	Description	Length
14025	For ¼" to ½" or ½" to 1" diameter tools	50'
14026	For ¼" to ½" diameter tools	100'
14027	For ½" to 1" diameter tools	100'
14028	For 1" to 1½" diameter tools	50'
14047	For 1½" to 2" diameter tools	50'
14048	For 2" to 2½" diameter tools	50'
14049	For 2½" to 3" diameter tools	50'
14050	For 3" to 4" diameter tools	50'
14051	For 4" to 5" diameter tools	50'

- Reusable. Slips on and off easily. Elasticity assures snug fit and non-slip grip
- Easily cuts to any length
- Inexpensive protection






KM<sup>™</sup> toolholders have two angled holes through the shank called "ball tracks" which act as a clamping mechanism.


КМ™		
Size	D1	
32	0.945 (24)	
40	1.181 (30)	
50	1.575 (40)	
63	1.969 (50)	
80 2.52 (64)		

KM Registered Trademark Kennametal




ER/RD/DR collets have a single shallow angled taper.

ER/RD/DR Collets		
Size	D1	Length
8	0.335	0.531
11	0.435	0.709
12	0.472	0.768
16	0.669	1.063
20	0.827	1.22
25	1.024	1.378
32	1.299	1.575
40	1.614	1.811
50	2.047	2.362




VDI toolholders come in many different shapes and sizes. One distinctive feature is the shaft is serrated on one side as shown in the illustration.

VDI Type		
Size D1		
25	0.983 (25)	
30	1.181 (30)	
40	1.575 (40)	
50	1.969 (50)	
60	2.362 (60)	




TG collets, short for tremendous grip, have a single shallow-angled taper similar to ER/RD/DR collets, but the difference between the types can be discerned by comparing dimensions.

TG Collets		
Size	D1	Length
TG50	0.76	1.438
TG75	1.062	1.844
TG100	1.379	2.375
TG150	2.001	3
TG200	2.671	3.25



C series/3J/R8 collets have a narrow cylindrical body and a short tapered head.

C Series/3J/R8 Collets			
Size	D1	Length	
5C	1.250	3.281	
16C	1.889	4.312	
20C	2.378	6.250	
25C	2.930	6.480	
3J	2.000	3.750	
R8	.950	4.000	



DA is short for double angle which refers to the two short angles which hold the tool in place.

DA Collets			
Size	D1	Length	
DA100	0.769	1.44	
DA180	1.035	1.62	
DA200	0.539	1.18	
DA300	0.375	1.08	
DA400	1.455	2	
DA500	2.255	2	

Information and dimensions provided were compiled from multiple sources including but not limited to the following: "HSK Overview." Guhring The Tool Company, Guhring, Inc., n.d. Web. 31 May 2012. <a href="http://www.guhring.com/PS/Toolholders/Overview.htm">http://www.guhring.com/PS/Toolholders/Overview.htm</a>. • Kennametal. Kennametal Inc., n.d. Web. 31 May 2012. <a href="http://www.kennametal.com/en-US/home.jhtml?\_requestid=904656">http://www.kennametal.com/en-US/home.jhtml?\_requestid=904656</a>> • "Spindle Tooling for Manual and CNC Lathes." Hardinge. Hardinge Inc., 03 May 2010. Web. 31 May 2012. <a href="http://www.hardinge.com/usr/pdf/collet/2348F\_LR.pdf">http://www.hardinge.com/usr/pdf/collet/2348F\_LR.pdf</a>. • Stovner, Steve. "Machine Tool Shanks (Tapers)." Tools-n-Gizmos, n.d. Web. 31 May 2012.




#### **CNC Toolholder Identification**

compare that to the dimension charts. The information and dimensions displayed are for part identification purposes only.

When ordering Huot products it is important to determine what type and size toolholder you possess. Compare your toolholder to those illustrated, measure the D1 dimension and **D1** "V-Flange" toolholders have a conical tapered shank.






CAPTO™ including C4, C5, C6, and C8 are distinctively known for their tapered polygon shape as shown.

CAPTO Registered Trademark Sandvik Corp.

CAPTO		
Size	D1	
C3	(22)	
C4	(28)	
C5	(35)	
C6	(44)	
C8	(55)	



V-Flange Style				
Size	BT	CV (CAT)	DV	NMTB
25	N/A	N/A	N/A	N/A
30	1.25	1.25	1.25	1.25
32	N/A	N/A	N/A	N/A
35	1.5	N/A	N/A	N/A
40	1.75	1.75	1.75	1.75
45	2.25	2.25	2.25	N/A
50	2.75	2.75	2.75	2.75
60	N/A	4.25	N/A	N/A

HSK Style										
Size	HSK A	HSK B	HSK C	HSK D	HSK E	HSK F				
25	N/A	N/A	N/A	N/A	0.748 (19)	N/A				
30	N/A	N/A	N/A	N/A	N/A	N/A				
32	0.945 (24)	N/A	0.945 (24)	N/A	0.945 (24)	N/A				
35	N/A	N/A	N/A	N/A	N/A	N/A				
40	1.181 (30)	0.945 (24)	1.181 (30)	0.945 (24)	1.181 (30)	N/A				
45	N/A	N/A	N/A	N/A	N/A	N/A				
50	1.496 (38)	1.181 (30)	1.496 (38)	1.181 (30)	1.496 (38)	1.181 (30)				
60	N/A	N/A	N/A	N/A	N/A	N/A				
63	1.89 (48)	1.53 (39)	1.89 (48)	1.53 (39)	1.89 (48)	1.53 (39)				
80	2.362 (60)	1.89 (48)	2.362 (60)	1.89 (48)	N/A	N/A				
100	2.952 (75)	2.362 (60)	2.952 (75)	2.362 (60)	N/A	N/A				
125	3.780 (96)	2.952 (75)	N/A	N/A	N/A	N/A				
160	4.724 (120)	3.740 (95)	N/A	N/A	N/A	N/A				

HSK's have a short hollow taper and we have identified 6 different styles.

See website for more sizes.





#### **Huot Part Number Index**

PART#	PG# LI	STEA PART#	PG# LIST EA	PART#	PG# LIST EA	PART#	PG# LIST	ΓEA PART#	PG# LIST EA	PART#	PG# LIST EA
10200	32	13000	24	13680	6	14050	38	14784	21	16800	9
10350	32	<u>13015</u>	24	13684	6	14051	38	14785	21	16930	5
10400	32	13025	24	13685	6	14060	30	14786	21	16940	5
10450	32	13030	24	13686	6	14130	6	14790	23	16950	5
10500	32	13040	24	13688	6	14134	6	14791	21	16964	5
10550	32	13050	24	13700	29	14135	6	14800	20	16970	5
10600	32	13060	24	13773	4	14136	6	14801	20	16980	5
10760	34	13075	24	13774	4	14164	6	14802	20	16984	5
10761	34	13080	24	13775	4	14170	6	14803	20	16985	5
10762	34	13085	27	13776	4	14175	6	14804	20	16986	5
10763	34	13090	25	13778	4	14180	6	14805	20	16988	5
10800	32	<u>13100</u>	24	13830	17	14185	6	14806	20	22030	23
10875	32	<u>13165</u>	27	13840	17	14190	6	14810	20	22040	23
10900	34	13166	24	13844	17	14332	18,22	14811	20	22050	23
10950	34	<u>13167</u>	24	13850	17	14342	18,22	14812	20	22064	23
11000	33	13174	30	13858	17	14352	18,22	14813	20	22070	23
11050	33	13175	27	13860	17	14365	18,22	14816	20	22072	23
11100	33	13180	27	13864	17	14380	18,22	14817	20	22080	23
11150	33	13185	27	13865	17	14399	18,22	14818	20	22800	23
11200	33	13190	27	13870	17	14600	23	14819	20	22816	23
11250	33	13200	26	13880	17	14625	23	14820	20	22820	23
11300	34	13300	29	13884	17	14650	20	14821	20	22825	23
11350	34	13309	4	13885	17	14651	20	14822		22832	23
11375	34	13321	30	13886	17	14652	20	14823	22	23830	17
11400	34	13325	29	13888	17	14653	20	14824	22	23840	17
11450	34	13333	30	13890	17	14654	20	14825	22	23850	17
11500	34	13350	26	13893	17	14655	20	14826	22	23864	17
11525	34	13375	28	13894	17	14656	20	14827	20	23870	17
		13400	28	13914	4	14657	20	14828	22	23880	17
11600	34	13409	4	13915	4	14658	20	14830	22	23884	17
11650	34	13410	26	13916	4	14659	20	14833	22	23885	17
11655	32	13415	26	13930	3	14702	22	14834	22	23886	17
11700	33	13420	26	13940	3	14707	37	14840	22	23940	7
11750	33	13425	26	13949	3	14708	38	14844	22	23950	7
11800	33	13430	26	13950	3	14709	38	14850	22	23964	7
11825	33	13450	28	13955	3	14725	23	14856	22	23970	7
11850	35	13500	24	13960	3	14728	23	14857	22	23980	7
11875	36	13509	4	13962	4	14730	23	14858	22	23984	7
11900	35	13525	31	13963	4	14740	21	14860	17	23985	7
11975	35	13527	31	13964	4	14741	21	14863	22	23986	7
11985	36	13530	31	13965	3	14742	21	14865	4,17	24860	17
12000	32	13550	24	13968	4	14743	21	14866	22	30000	28
12050	32	13560	25	13970	3	14744	21	14880	22	30001	28
12100	32	13570	25	13980	3	14745	21	14885	22	30025	28
12125	32	13575	24	13984	3	14746	21	14899	8	30050	28
12130	32	13580	28	13985	3	14749	23	14930	5	30550	33
12200	32	13585	28	13986	3	14752	37	14940	5	30650	33
12250	36	13590	25	13993	4	14757	37	14950	5	33166	9
12260	36	13595	25	13994	4	14758	37	14964	5	33601	9
12280	36	13597	28	14001	3	14760	37	14970	5	33930	6
12300	32	13599	28	14016	3	14763	21	14980	5	33940	6
12550	35	13600	29	14025	38	14765	23	14984	5	33944	6
12575	35	13630	6	14026	38	14770	23	14985	5	33945	6
12590	35	13640	6	14027	38	14771	21	14986	5	33946	6
12600	35	13650	26	14028	38	14775	23	14988	5	33950	6
12650	35	13652	25	14030	30	14776	21	15030	34	33964	6
12675	35	13655	6	14047	38	14777	21	15035	34	33970	6
12700	35	13664	6	14048	38	14780	23	15040	34	33980	6
	32	13670	6	14049	38	14781	21	15235	32	50520	17



#### **Huot Part Number Index**

			er Index	DADT#	DO# LICT EA	DADT#	DO# LICT FA	DADT#	DO# LICTE	DART# DO	<i>"</i> 110
PART#	PG# LIST EA		PG# LIST EA		PG# LIST EA	PART#	PG# LIST EA	PARI#	PG# LIST E	PARI# PG	# LIS
0523	3	55763	14	79352	15						
0524	3	<u>55764</u>	14	79365	15						
0525	3	55770	14	79380	15						
0526	3	<u>55771</u>	14	79399	15						
0527	3	55780	14	79624	15						
0528	3	55781	14	79625	15						
0563	3	55784	14	79626	15						
5100	10	55785	14	79628	<u> 15</u>						
5105	10	55786	14	90332	37						
<u>5110</u>	10	55790	14	90333	37						
5114		55791	14	99725	<u>7</u>						
5115		55792	14	99740	<u>7</u>						
5140		<u>55797</u>	14	99750	7						
5150		55930	12	99760	7						
5155		55940	12	99764	7						
5164		55950	12	99770	7						
5170		55964	12	99780	7						
5173		55970	12	99784	7						
5174		55980	12	99785	7						
5176		55984	12	99786	7						
5180		55985	12	99788	7						
5183		55986	12	99940	8						
5184		55988	12	99950	8						
<u>5185</u>	11	56740	21	99960	8						
5186	11	56744	21	99964	8						
5188	11	<u>56745</u>	21	99970	8						
5193	11	56746	21	99980	8						
5194	11	56750	21	99984	8						
5232 1	1,18	56764	21	99985	8						
5242 1	1,18	56770	21	99986	8						
5252 1	1,18	56777	21	99988	8						
5265 1	1,18	56780	21								
5280 1	1,18	77030	9								
5299 1	1,18	77132	17								
5330	13	77142	17								
5340	13	77152	17								
5350	13	77165	17								
5364	13	77180	17								
5370	13	77199	17								
5380	13	77230	15								
5384	13	77240	15								
5385	13	77250	15								
5386	13	77264	15								
5388	13	77270	15								
5631	14	77277	15								
5641	14	77280	15								
5651	14	77300	9								
5664	14	77332	4,18								
5671	14	77342	4,18								
5681	14	77352	4,18								
5684	14	77365	4,18								
5685	14	77380	4,18								
5686	14	77399	4,18								
5730	14	78230	16								
5731	14	78235	16								
5740	14	79231	15								
5740 5741	14	79231 79236	16								
	14	79230 79332	15								
5750 5751											
5751	14	79342	15								



Huot navigates the country with demo vans equipped with their most popular products and latest innovations. Let us come right to your shop and show you firsthand solutions for storing and organizing cutting tools and machine tool accessories. Go to our web page and click on the videos tab, then click on Huot Demo Van and enjoy the 90 second humourus and informational video. Afterwards email your address to orders@huot.com and we'll let you know when we'll be in your area.







### Find us on **f**

#### **Huot Manufacturing**

550 North Wheeler Street St. Paul, Minnesota 55104-1788

Phone (651) 646-1869 Order Desk (800) 832-3838 Fax (651) 646-0457 Email: orders@huot.com www.huot.com Industrial Code: 697764
DUNS 081330734
UPC #33603
Tax ID #41-0653132
SIC #3469
©2024 Huot Mfg.
Form 80224
Huot Maufacturing reserves the right to make changes and or improvements in design and dimensions without notice.

#### **Distributed By:**